FA & JA-B Series Electronic Analytical Balance

FA-B & JA-B Series Electronic Analytical Balance is the most advanced electronic balance. Accuracy, stability, multi-function and automation of performance satisfy the requirements of all quality analysis in laboratories. The balance employs high performance single-chip MCS-51 as the microprocessor control and is provided with standard signal output interface for directly connecting with printers, computers and other equipment.

- Function:
- * Taring
- * Accumulating
- * Fault alarm
- * Hanging weight
- * Auto-calibration * Range transfer

* Counting

* Print

- * Adjustable sensitivity
- * Units selection (g.carat.Oz)
- * Full Transparency * Wide measure range

Charter:

- * Outer Power Source
- * RS232C, output interface
- * With smart groud light controller, easy to read.
- * Big word LCD display

Model	FA1204B	FA2004B	FA2204B	FA3204B		
Capacity (g)	0~120g	0~200g	0~220g	0~320g		
Reading Accuracy	0.1mg					
Pan Diameter	Ф80mm					
Output Interface	RS232					
Overall Dimensions	350*210*346mm					
Power	AC 100~240V 50/60Hz					
Net Weight	7 Kg					

Model	JA2306B	JA5003B		
Capacity (g)	0~260g	0~500g		
Reading Accuracy	1mg(0.001g)			
Pan Diameter	Ф110mm			
Output Interface	RS 232			
Overall Dimensions	350*210*346mm			
Power	AC 100~240V 50/60Hz			
Net Weight	7 Kg			



Density Measurment accessories is available

YP-N Electronic Balance (AC/DC)

YP-N Electronic Balance is new advanced product consisting of a strain gauge transducer and a microcomputer. It adopts SMT surface technology and LCD display, with a high stability and multi-functions. It has an over-load and low voltage alarm system.

Function.

High sensitivity

Automatic calibration with automatic calibration program

Full rang tare

Units selection

Quick response

Automatic Zero track

Standard RS232 output interface AC/DC(YP102N, 202N, 402N, 1201N, 2001N)

Model	YP102N	YP202N	YP402N	YP601N	YP1201N	YP502N	YP802N	YP1002N
Capacity(g)	100	200	400	600	1200	500	800	1000
Readability	10mg			100mg		10mg		
Pan size	Ф110mm			Ф13	0mm	130mm*130mm		nm
Outer dimensions	245mm*185mm*66mm			320mm*218mm*138mm				
Net Weight	0.9Kg			1.6Kg				
Power supply	220VAC or 110VAC /DC9V			220VAC or 110VAC				

Model	YP2001N	YP3001N	YP6001N	YP10KN	YP15KN	YP20KN
Capacity(g)	2000	3000	6000	10000	15000	20000
Readability	100mg	1g				
Pan size	160mm*170m	280mm*250mm				
Outer dimensions(mm)	320mm*218mm*138mm		432mm*270mm*110mm			
Net Weight	1.9Kg	5.8Kg				
Power supply	220VAC or 110VAC /DC9V	220VAC or 110VAC				



