

No. 550

"SEPADORA" Screwdriver



Environmentally friendly products with low environmental impacts are desired in corporate activities.

All are ecological when held by hand.



Elastomer wrapping the grip holds the shank.



No. 550
"SEPADORA"
Screwdriver

Eco screwdrivers of the special manufacturing process that enables the shank and the handle to be separated.

The ergonomic grip designed in the motif of a leaf is superior in tightening force.

⚠ Caution (SEPADORA)

●Eco screwdrivers are not tang-thru screwdrivers; hitting a screwdriver with a hammer disables the shank from being pulled out or causes it to be deformed or broken.

※This is for illustrative purpose.

No. 550 "SEPADORA" Screwdriver PAT.

- Shank and grip are separable. Sort and recycle.
- Wavy octagonal grip fits your palm and transmits driving torque effectively.



← See P21

No.550	Tip	Length (mm)	Inner Ctn.	Outer Ctn.	EDP No.
⊖ 5.5 × 75	5.5 0.8 75	5.0 30.0 175	6	120	121601
⊖ 6 × 100	6.0 0.9 100	6.0 33.5 210	6	60	121602
⊖ 8 × 150	8.0 1.1 150	8.0 36.0 275	6	60	121603
⊕ 1 × 75	⊕No.1 75	5.0 30.0 175	6	120	121611
⊕ 2 × 100	⊕No.2 100	6.0 33.5 210	6	60	121612
⊕ 2 × 150	⊕No.2 150	6.0 33.5 260	6	60	121613
⊕ 3 × 150	⊕No.3 150	8.0 36.0 275	6	60	121616

No. 590 "SEPADORA" Screwdriver (Precision Type) PAT.

- Shank and grip are separable. Sort and recycle.
- Wavy octagonal grip fits your palm and transmits driving torque effectively.
- Special grip with a clip.
- Thin shank screwdriver. Ideal for screw tightening in precision fields.
- ※ ⊕00×50 is with a fully black oxide finish shank.



No.590	Tip	Length (mm)	Inner Ctn.	Outer Ctn.	EDP No.
⊖ 2.5 × 50	2.5 0.35 50	3.0 15.4 99	24	480	121671
⊖ 2.5 × 75	2.5 0.35 75	3.0 15.4 124	24	480	121672
⊖ 2.5 × 100	2.5 0.35 100	3.0 15.4 149	24	480	121673
⊕ 00 × 50	⊕No.00 50	3.0 15.4 99	24	480	121674
⊕ 0 × 75	⊕No.0 75	3.0 15.4 124	24	480	121675

No. 560 "SEPADORA" Screwdriver (Thin Shank Type) PAT.

- Shank and grip are separable. Sort and recycle.
- Wavy octagonal grip fits your palm and transmits driving torque effectively.
- Thin shank screwdriver. Ideal for screw tightening in narrow spaces.



No.560	Tip	Length (mm)	Inner Ctn.	Outer Ctn.	EDP No.
⊖ 4 × 75	4.0 0.5 75	4.0 19.8 153	12	240	121632
⊖ 4 × 100	4.0 0.5 100	4.0 19.8 178	12	240	121633
⊖ 4 × 150	4.0 0.5 150	4.0 19.8 228	12	240	121634
⊖ 4 × 200	4.0 0.5 200	4.0 19.8 278	12	240	121635
⊕ 0 × 75	⊕No.0 75	4.0 19.8 153	12	240	121642
⊕ 1 × 100	⊕No.1 100	4.0 19.8 178	12	240	121647
⊕ 2 × 150	⊕No.2 150	4.0 19.8 228	12	240	121651

No. 570 "SEPADORA" Screwdriver (Stubby Type) PAT.

- Shank and grip are separable. Sort and recycle.
- Wavy octagonal grip fits your palm and transmits driving torque effectively.
- Ideal for working in cramped places.



No.570	Tip	Length (mm)	Inner Ctn.	Outer Ctn.	EDP No.
⊖ 6 × 25	6.0 0.9 25	6.0 45 50	12	240	121661
⊕ 1 × 25	⊕No.1 25	6.0 45 50	12	240	121662
⊕ 2 × 25	⊕No.2 25	6.0 45 50	12	240	121663

One point

Concave octagonal grip

Dents and projections of the waves fit into your palm to transmit the torque securely.



Tip shape is shown on the grip end

Black point processing

High precision finish, unaffected by plate thickness

Rust-proof chrome plating

Elastomer grip

The elastomer resin coating on the surface is slip-proof and fits into your palm

HAND TOOLS

BITS & SOCKETS

ELECTRIC TOOLS

AIR TOOLS

STATIC SOLUTIONS

GASOLINE ENGINE TOOLS

No.500 ECO VALUE Screwdriver

- Robust looking black hard grip.
- Wavy octagonal grip fits your palm and transmits driving torque effectively.
- Champagne gold plating, keeping the precise tip quality.



No.500							Inner Ctn.	Outer Ctn.	EDP No.
⊖ 5.5 × 75	5.5	0.8	75	5.0	30.0	175	6	120	121751
⊖ 6 × 100	6.0	0.9	100	6.0	33.5	210	6	60	121752
⊖ 8 × 150	8.0	1.1	150	8.0	36.0	275	6	60	121753
⊕ 1 × 75	⊕No.1	75	5.0	30.0	175		6	120	121761
⊕ 2 × 100	⊕No.2	100	6.0	33.5	210		6	60	121762
⊕ 3 × 150	⊕No.3	150	8.0	36.0	275		6	60	121766

※The shank is not separable.

No.510 ECO VALUE Screwdriver

- Robust looking black hard grip.
- Wavy octagonal grip fits your palm and transmits driving torque effectively.
- Thin shank screwdriver. Ideal for screw tightening in narrow spaces.
- Champagne gold plating, keeping the precise tip quality.



No.510							Inner Ctn.	Outer Ctn.	EDP No.
⊖ 4 × 75	4.0	0.45	75	4.0	19.8	153	12	240	121782
⊖ 4 × 100	4.0	0.45	100	4.0	19.8	178	12	240	121783
⊕ 0 × 75	⊕No.0	75	4.0	19.8	153		12	240	121792
⊕ 1 × 100	⊕No.1	100	4.0	19.8	178		12	240	121797

※The shank is not separable.

No.540 ECO VALUE Screwdriver (Precision Type)

- Robust looking black hard grip.
- Wavy octagonal grip fits your palm and transmits driving torque effectively.
- Special grip with a clip.
- Thin shank screwdriver. Ideal for screw tightening in precision fields.
- Champagne gold plating, keeping the precise tip quality.



No.540							Inner Ctn.	Outer Ctn.	EDP No.
⊖ 2.5 × 50	2.5	0.35	50	3.0	15.4	99	24	480	121821
⊕ 00 × 50	⊕No.00	50	3.0	15.4	99		24	480	121824
⊕ 0 × 75	⊕No.0	75	3.0	15.4	124		24	480	121825

※The shank is not separable.

No.520 ECO VALUE Screwdriver (Stubby Type)

- Robust looking black hard grip.
- Wavy octagonal grip fits your palm and transmits driving torque effectively.
- Ideal for working in cramped spaces.
- Champagne gold plating, keeping the precise tip quality.



No.520							Inner Ctn.	Outer Ctn.	EDP No.
⊖ 6 × 25	6.0	0.9	25	6.0	45	50	12	240	121811
⊕ 1 × 25	⊕No.1	25	6.0	45	50		12	240	121812
⊕ 2 × 25	⊕No.2	25	6.0	45	50		12	240	121813

※The shank is not separable.

No.460NT-9S ECOSOFT T-bar screwdriver (w/socket bit set)

- The ergonomic grip fits comfortably in your hand. T-shaped handle transmits high torque without applying too much force by your hand.
- Ball-lock type holds a socket assuredly. Hex drive 6.35mm.



Set content		Package size (mm)	Inner Ctn.	Outer Ctn.	EDP No.
Body	length 165.5mm dia. 100mm				
Socket bits	A/F5, A/F5.5, A/F6, A/F7, A/F8, A/F9, A/F10, A/F12, A/F13 × 26.5mm	235×120×30	5	30	121891
Accessories	Socket bit holder				

※The shank is not separable.