

# EBI 11-T235 Mini-Temperature Logger

## *Rigid blunt metal probe*

EBI 11-T235 Mini-Temperature Logger  
Film: [EBI 11](#) – Brochures [download](#)

### Product Description

- Temperature monitoring under cramped conditions
- High accuracy
- Completely waterproof
- Temperature resistant up to +150 °C
- Space-saving (small dimensions)
- Field-replaceable battery
- Needle length 25 mm ø 2 mm, blunt

Part No.: 1340-6270



### Technical data

<b>Measuring range</b>	-30 °C...+150 °C
<b>Accuracy</b>	±0,1 °C
<b>Resolution</b>	0,01 °C
<b>Operating Temperature</b>	-30 °C...+150 °C
<b>Storage temperature</b>	0 °C...+60 °C
<b>Memory</b>	15.000 measurement value
<b>Sample Rate</b>	1s...24h
<b>Measured variables</b>	Temperature
<b>IP Rating</b>	IP68
<b>Battery</b>	Battery 2 x 3 V
<b>Dimensions</b>	ø 16,5 x 24 mm (without probe)
<b>Weight</b>	ca. 45 g
<b>Certificate</b>	Factory calibration certificate

## Options

---

### AL 285

AL 285 Logger Check

Part No. 1248-0285



### Interface Set SI 3300

4 fold Interface IF 300 for EBI 11

Part No. 1340-6069



### Interface Set SI 1100

2-fold Interface IF 100 for EBI 12, EBI 10, EBI 100 and EBI 11

Part No. 1340-6061



### AL 114

Adapter Set for EBI-11

Part No. 1340-6298



### Interface Set SI 1300

4 fold Interface IF 300 for EBI 11

Part No. 1340-6063



### Interface Set SI 2100

2-fold Interface IF 100 for EBI 12, EBI 10, EBI 100 and EBI 11

Part No. 1340-6064



### AL 115

Bottle Adapter-Set for EBI-11

Part No. 1340-6299



### AL 113

Battery Exchange Set for EBI 11

Part No. 1100-0120



## Calibration

### EBI 100-T/EBI 11 - 1 Channel

DAkKS 3-Point

Part No. 1020-3650



### EBI 100/EBI 11 - 1 Channel

ISO 3-point

Part No. 1020-3550



## Software

### Winlog.validation Software

Winlog.validation Software

Part No. 1340-2394



<b>Hardware requirements</b>	Processor: Pentium 1 GHz, Main memory: 1 GB, Free hard disk space: 1 GB, USB
<b>Software requirements</b>	Windows Vista (32 bit or 64 bit), Windows 7,8,10 (32 bit or 64 bit)

### Winlog.pro Software

Winlog.pro - The general software for programming and evaluation of ebro data loggers

Part No. 1340-2355



<b>Hardware requirements</b>	Processor: Pentium 1 GHz, Main memory: 1 GB, Free hard disk space: 1 GB, USB
<b>Software requirements</b>	Windows Vista (32 bit or 64 bit), Windows 7,8,10 (32 bit or 64 bit)
<b>Further requirements</b>	Resolution: 1024x768

# **-ebro-**

a xylem brand

## Winlog.med Software

Software (Standard-Software for the CSSD)



Part No. 1340-2363

<b>Hardware requirements</b>	Processor: Pentium 1 GHz, Main memory: 1 GB, Free hard disk space: 1 GB, USB
<b>Software requirements</b>	Windows Vista (32 bit or 64 bit), Windows 7,8,10 (32 bit or 64 bit)

---