

# ASTM D1230 Lab 45 Degree Textile Performance Flammability Testing Equipment





## Product Details:

• Place of Origin: China

Brand Name: YUYANG

Certification: ASTM D1230FTMS 191-5908CRF 16-1610CALIF TB117NFPA 702ISO 8124-2

Model Number: YY123

## Payment & Shipping Terms:

Minimum Order Quantity: 1 set

Price: Negotiation

Packaging Details: Plywood Box

Delivery Time: 10 work days

Payment Terms: T/T L/C Western Union

• Supply Ability: 3 sets per month

Share to :

# ASTM D1230 Lab 45 Degree Textile Performance Flammability Testing Equipment

## **Description:**

45 degree flammability tester, check the flammable performance of the textile Stainless testing room with glass window, after ignition automatic time (0.01 second precision) automatic or manual ignition.

## Parameters:

Manual firing device, including sample holder and brushing device.

Spread time scope: 0-99.99s Firing time: 1s or specified

Resolution: 0.01s

Specimens clamp inside dimension: 152×38mm

Flame height: 15.875mm

Dimension: 540×410×300mm(L×W×H). Igniter model: comply to ASTMD1230

Power Supply: 220V

Accessories: clamps 4pcs, weights, calibration plate 1pcs, Flame Gauge 1pcs


#### Standards:

# ASTM D1230,FTMS 191-5908,CRF 16-1610,CALIF TB117,NFPA 702,ISO 8124-2

Net weight: 15KG, Gross weight: 21KG

Plywood box size: 50\*42\*60cm

# **Brushing device**



**U-Frame Sample Holder** 

