





## Electric Multi-purpose Pliers

AP-06 for Insulated and Faston Terminals



- 5 functions for electrical installation works loaded
  - Insulated terminal crimping (1.25/2.0/5.5mm<sup>2</sup>) (AWG 16/14/10)
  - Faston terminal crimping (1.25/2.0/5.5mm<sup>2</sup>) (AWG 16/14/10)
  - Wire Cutter
  - Bolt Cutter
  - Wire Stripper
  - Comfortable elastomer grips
-




## Electric Multi-Purpose Pliers Series

Functions	AP-01	AP-02	AP-03	AP-04	AP-05	AP-06
Faston Terminals (1.25/2.0/5.5mm)(AWG 16/14/10)	○	-	-	-	○	○
Non-Insulated Terminals (1.25/2.0/5.5mm)(AWG 16/14/10)	○	○	○	-	-	-
Insulated Terminals (1.25/2.0/5.5mm)(AWG 16/14/10)	-	○	-	○	-	○
Ignition Terminals	-	-	○	○	○	-
Wire Cutter	○	○	○	○	○	○
Bolt Cutter (ISO M2.6/3/3.5/4/5)	○	○	○	○	○	○
Wire Stripper (φ0.75/0.9/1.25/2.0/3.5/5.5mm)(AWG 18/17/16/14/12/10)	○	○	○	○	○	○

Specifications

Material   Alloy steel
Head hardness [HRC]   49~55
Handle cover   Elastomeric molded resin grips



	Size(mm)					Weight (g)	EAN code (4952269)
	Whole length	Head width	Tip Thickness	Jaw Thickness	Handle width		
AP-06	235	40	4	15	53	295	113952

Terminals and sizes	Insulated Terminals / Faston Terminals (1.25/2.0/5.5sq) (AWG 16/14/10)
Cutting capacity	Strand copper wire 5.5mm(AWG 10) / Copper φ2.0mm(AWG 14)/ Soft ironφ1.2mm(AWG 17)

Note: Do not use to cut harder wire or anything above it rated the capacity.

TOP