



www.palintest.com Pool & Spa

At Palintest we make water analysis technologies which help to safeguard water for everyone, every day.



### At Palintest we deliver:



#### Swimmer safety

Safeguard pool users through effective disinfection and water balance control



#### Pool integrity

Regular pool testing helps maintain your pool and protects the pool infrastructure



#### Water balance

Maintain optimum water balance to avoid corrosion or scaling




#### Cost efficiency

Optimise your pool treatment plan

Backed by over 100 years of research, our equipment has been designed to make testing simple and easy.

Our technology delivers reliable results, to drive confident water quality management, ensuring that we can all bathe and play safely.





#### FEATURES INCLUDE:

Expert colorimetric analysis

Digital measurement for quick and accurate results

Simple and easy to use

Waterproof and portable

Suitable for poolside use

On-board memory for 10 results

# **Technical Specification**

Instrument Type	Dual light source colorimeter offering direct-reading of pre-programmed test calibratio	
Peak Wavelengths	530 nm, 570 nm	
Accuracy	±1.0% T	
Display	128 x 64 pixel LCD with backlight	
User Interface	Language-free interface with four function keys	
Size (W x L x H) and Weight	150 mm x 65 mm x 42 mm, 200 g	
IP Rating	IP67	
Power Supply	2 x 1.5 V AA batteries	
Memory Capacity	Last 10 results. Blank value held in memory until power off or new blank recorded	

## **Kit Contents**

	Pooltest 3 soft case kit SPS003D	Pooltest 3 soft case kit SPS003X	Pooltest 3 hard case kit SPH003D	Pooltest 3 hard case kit SPH003X
Pooltest 3 instrument		*		>
Instructions		9	*	
Crush/stir rods	4.5	*		•
Cuvette brush	A. • S		•8	29
Cuvettes	2	2	4	4
Syringe		i.	*	
Soft carry case		1		
Hard carry case			¥8 \$8	ž.
Extended Range Chlorine		•		# #
Reagents included in kit				
Free Chlorine DPD 1	30		100	
Total Chlorine DPD 3	30		100	
pH Phenol Red	20	20	100	100
Cyanuric Acid	20	20	100	100
Free Chlorine DPD XF*		30		100
Total Chlorine DPD XT*		30		100

\*Extended Range Chlorine 0 - 10 ppm

For the full list of reagents see page 20