



Thin Blade Plastic Cutter Slender-Type

120mm TM-16 SpringBOX JOINT




- Recommended for cutting plastic gates of miniature models.
- Slim head is comfortable for cutting targets inside narrow space.
- Exclusive use for plastic.

Features of Trinity series products

Trinity

Long-life & high durability
Box joint structure



Adjustable & durable
Leaf springs

Even if jaw opened fully, leaf spring does not broken like a coil type spring. Also the resilience can be adjusted to your preference.

Double molded
Elastomer resin cover

Originally developed cover shape fits the hand and reduce fatigue of works. Using Eco-friendly burnable material.



Bend springs towards this direction gradually to strengthen resilience



Inside:
Firm texture

Outside: _____
Soft texture for hands

Box joint

Long-life stability, none-backlash.

Leaf springs


Long-life and high durability. Adjustable resilience.

Comfortable elastomeric double molded resin grips

Using eco-friendly elastomer resin which does not emit dioxin when it is burned. Original designed grip realized ideal weight balance and work efficiency improvement.

Specifications

- Material | Alloy steel
- Heat Treatment | Induction hardening on edge
- Hardness | 54~62
- Spring | Leaf springs
- Handle cover | Elastomeric double molded resin grips



	Size[mm]						Weight [g]	EAN-code (4952269)
	Overall length	Head width	Head thickness	Handle width	Edge length	Head angle		
TM-16	118	11	7	52	12	28°	61	113327

Cutting capacity (φmm)	Plastic
TM-16	2.0

Note: Do not use to cut harder wire or anything above it rated the capacity.