



Automatic Stripper

TWS-A for Solid Wire (mm: 0.5/1.2/1.6/2.0) (AWG: 24/16/14/12) Springnew!



- Stripping with ease, just gripping once.
- Quick gauge helps continuous stripping with the same length.
- Recommendable both of beginner and professional.
- Type A is for Solid Wire (mm: 0.5/1.2/1.6/2.0) (AWG: 24/16/14/12)

[4 TYPE FOR STRIPPING VARIOUS CABLE]

TWS-A -- Solid Wire : 0.5/1.2/1.6/2.0 (mm)


TWS-B -- Solid Wire : 1.0/1.6/2.0/2.6/3.2 (mm)

TWS-C -- IV Cable : 1.25/2.0/3.5/5.5/8.0
(mmsq)

TWS-D -- Stranded Wire : 0.9/1.25/2.0/3.5/5.5
(mmsq)

Features


Quick Gauge!




Another Gauge
for measuring
length instantly.

Quick gauge helps continuous stripping with the same length easily.

How to Use





Insert wire into correspond hole on the blade.



Just gripping once.

Gauge Adjusting



Quick gauge shows rough length of stripping. Please note it is not precise strictly.

Specifications

- Handle cover | Elastomeric molded resin grips

	Whole length (mm)	Weight (g)	EAN code
TWS-A	166	335	4952269 113907

Intended Use	Size (mm)	(AWG)
Solid Wire	0.5/1.2/1.6/2.0	24/16/14/12

Note: Do not use to strip wire other than listed above.

