



SSQ4000-ESD Electric Screwdriver



PRODUCT SPECIFICATIONS

Model:SSQ4000-ESD

Item #:144253

Drive Size:4mm Hios Dr.

American:0.9 - 3.9 lbf.in

S.I.:10 - 45 cN.m

Metric:1.5 - 4.5 kgf.cm

Tool Weight:14.4 oz.

Tool Length:7.75

RPM High:1000

RPM Low:690

Grip Dia:1 1/4"

Product Details

The SS-Series is electric torque screwdriver designed for precision and accuracy. The unique soft-stop shock absorbing clutch design is ideal for assembling shock sensitive components such as disk drives, plastics, and electronics. Ergonomically designed clutch and body case reduces impact and vibration transmitted in the screw fastening process, which delivers less torque reaction to operator.

Product Benefits

- Various models that range from 0.17 - 17.4 lbf.in.
- Precision "Soft-Stop" clutch prevents shock to sensitive assemblies like disk drives, plastics, electronics, etc.
- Ergonomically designed clutch and body case reduces impact and vibration transmitted in the screw fastening process.
- Low voltage requirement offers superior life and safe operation.
- Can be connected with the Scout Screw Counter.
- Requires a Transformer (power supply).
- External torque adjustment scale.
- One way clutch - direct drive in the counter-clockwise direction for easy removal of tightened fasteners.
- Available in Clean Room, Vacuum,ESD, Push-to-Start and Lever models.

Note! CR are Clean Room models. All Vacuum and Clean Room models are lever start. Requires a Transformer (power supply).