



**YUYANG INDUSTRIAL CO., LIMITED**

China Manufacturer of Fire Testing Equipment

## AC 220V 3A Footwear Testing Equipment / Leather Friction Testing Machine

150±5 RPM





•



•



•



- **Product Details:**

- Place of Origin: **China**
- Brand Name: **YUYANG**
- Certification: **BS-1006、BS-3144、BS-4060、BS-3424**

- Model Number: **YYX-008**
- **Payment & Shipping Terms:**
- Minimum Order Quantity: **1 set**
- Price: **Negotiation**
- Packaging Details: **wooden carton**
- Delivery Time: **30-50 work days**
- Payment Terms: **T/T L/C**
- Supply Ability: **100 Sets Per Month**
- Share to :

## **AC 220V 3A Footwear Testing Equipment / Leather Friction Testing Machine 150±5 RPM**

### **Detailed Descriptions:**

Leather friction testing machine is used to test the shoes leather or synthetic leather lining layer etc. after friction damage and the degree of discoloration. Can also be used to assess material on the surface of printing label font wear-resistant rub fastness. This machine has a dry, wet two testing ways.

### **Specifications**

- 1.Specimen:60(w)\*60mm(L) or diameter 60mm
- 2.Wool felt pad :outside dia.25±1mm, bore dia.3±0.5mm  
6.5±0.5mm or 5.0±0.5mm(D) density 190±20kg/m<sup>3</sup>
- 3.Load :24.5±0.5N or 7.1±0.2N
- 4.Rotating Felt Pad Speed :150±5 rev/min
- 5.Metal Plate:75(L)\*65(W)\*5(D)mm, with a center hole diameter 25mm
- 6.Aluminium disk : diameter 50\*12mm(D)
- 7.Dimension(W\*D\*H) :26\*38\*49cm
- 8.Weight:34kg
- 9.Power: AC 220V 3A

|                            |   |
|----------------------------|---|
| Specimen                   | 60(w)*60mm(L) or diameter 60mm  |
| Wool felt pad              | outside dia.25±1mm, bore dia.3±0.5mm<br>6.5±0.5mm or 5.0±0.5mm(D) density 190±20kg/m <sup>3</sup> |
| Load                       | 24.5±0.5N or 7.1±0.2N   |
| Rotating Felt Pad<br>Speed | 150±5 rev/min   |
| Metal Plate                | 75(L)*65(W)*5(D)mm, with a center hole diameter<br>25mm   |
| Aluminium disk             | diameter 50*12mm(D)   |
| Dimension(W*D*H)           | 26*38*49cm  |
| Weight                     | 34kg  |
| Power                      | AC 220V 3A  |



