



**20W AP-AY1503 AC Anti Static Device Double
Connector 3500V Low Power For AP-AC5602 Ion Bar**
**20 W AP-AY1503 AC Power Supply Double Connector 3500V Low Power For
AP-AC5602 Ion Bar**



◆**Features**

- 1, Energy-limited components to ensure stable output.
- 2, High voltage, micro current operation.
- 3, Plug-in interface, easy to operate and install.
- 4, Excellent performance, safe and reliable.

◆**Specification**


Input voltage	AC220V 50Hz or AC110V 60Hz(customized)
Output voltage	AC7000V

Power	20W
Working temperature	-10°C - 50°C
Working humidity	≤ 85%RH
Net weight	5300g
Gross weight	5800g
Dimension	232 * 156 * 117mm(L*W*H)


◆ Installation and usage

1. Plug the power cord into the mains socket.
2. Insert the high-voltage connector of the electrostatic elimination device into the high-voltage output seat of the power supply, and connect its grounding terminal to the high-voltage power grounding stud.
3. Turn on the power switch, and the switch indicator is on to show the power work.

◆outline dimensional drawing



◆Working Ways(AC)




◆Power maintenance

If the red switch working indicator on the high-voltage power panel is not on, it should be stopped and repaired by professional maintenance personnel. It can only be used after the test electrical performance index is normal.

◆**Friendly reminder**

1. The working input power of the power box must be reliably connected to the grounding line of the power supply line.
2. Do not use the device in a more than 85% humidity environment.
3. It is strictly forbidden to use this equipment in flammable or explosive environment.
4. Internal maintenance and repair must be carried out by professionals.

◆**Installation method**



Application Image



