











XIAMEN TOB NEW ENERGY TECHNOLOGY CO., LTD.

Provide A Full Set Of Solutions For Battery Machines.

SALES tob.amy@tobmachine.com TECH SUPPORT +86-18120715609

Search

Q



Coin Cell Crimper Hydraulic Battery Sealing
Machine

It can also crimp CR2325, CR2450, AG3, AG5 and other special size cases with optional die sets.

- Item No.:TOB-MR-120-B
- Order(Mog):1
- Product Origin:China
- Shipping Port:XIAMEN
- Lead Time:7

Product Detail

Compact Hydraulic Coin Cell Crimper Machine: One for All Button Cells of CR2016, CR2025, & CR2032 (Optional Die CR1220, CR2325 or CR2450 , AG3, AG5)

SPECIFICATIONS

1 TOB-MR-120 coin cell crimper is a newly designed coin-cell sealing machine with lighter weight. The crimper is suitable for sealing various types of coin cells such as CR2032,CR2025,and CR2016 with adjust the sealing line and without changing the die. It can also crimp CR2325, CR2450, AG3, AG5 and other special size cases with optional die sets.

- 2 In addition, customers can easily replace the original die for disassembling purpose.
- 3 It can also be worked in glove box with smaller volume.

Machine model	Hydraulic Crimping Machine TOB-MR-120
Standard Crimping Die	One set of crimping die for CR2032,CR2025,and CR2016 Optional die available from product option for crimping
	CR2325,CR2450,AG3,AG5
	3 PTFE Anti-Corrosion Core prevents coin cells from being short circuited
Advantages	1 The lower die with high precision positioning ring spcing, control the battery packge height
	2 The upper die is provided with a seling cup inner screw spring mechanism,
	ensure in case the battery sealing clamp can not be removed, only the top screw clockeise and the button battery out.
	3 By using aluminum alloy and high strength steel,
	surface after the environmental protection electroplating processing will never rust
Rocker Pressure	<6kg
Max Pressure	200kg/cm2
	(The hydraulic drive pressure up to 8T, the battery sealing no vibration, no leakage)
Working Pressure	80-100kg/cm2
Dimension(L*W* H)	232*170*330mm
Weight	28kg
Shipping Weight	35kg
Warranty	One Year limited warranty with lifetime support

