



XIAMEN TOB NEW ENERGY TECHNOLOGY CO., LTD.

Provide A Full Set Of Solutions For Battery Machines.

SALES tob.amy@tobmachine.com

TECH SUPPORT +86-18120715609

Search...



NMP Solvent Processing System

It is mainly used to filter and treat the internal solvent of waste gas produced in the drying process of coating machine to realize the function of dust removal and exhaust gas purification.

- Item No.:TOB-NMP-1
- Order(Moq):1set
- Payment:L/C,T/T,Western Union, Paypal
- Product Origin:China
- Shipping Port:XIAMEN
- Lead Time:20days

Product Detail

Lithium Battery Laboratory NMP Solvent processing system

SPECIFICATIONS

It is mainly used to filter and treat the internal solvent of waste gas produced in the drying process of coating machine to realize the function of dust removal and exhaust gas purification.

Model	TOB-NMP-1
Work mode	Continuous work
Processing capacity	600 m³ / h
Inlet temperature	≤ 150 °C
Recovery rate	≥ 80%
Recycled object	Water-soluble solvent gas
Processing gas	Gas
Scope of treatment	Water-soluble solvent
Contact material	SUS304 stainless steel
Gas emissions	External piping
Access volume	600m³ / 3 / h
Temperature	0-40 °C
Vibration and shock	There are no visible sources of vibration around
Explosion protection	Explosion-proof treatment
Three-phase	380 VX 50Hz
Power	1.5kW

PRODUCT DISPLAY

