



XIAMEN TOB NEW ENERGY TECHNOLOGY CO., LTD.

Provide A Full Set Of Solutions For Battery Machines.

SALES tob.amy@tobmachine.com

TECH SUPPORT +86-18120715609

Search...



Turntable Type Vacuum Seal Machine For Polymer Battery



This Turntable type vacuum sealer machine is used for middle size pouch cell final vacuum sealing after the lithium battery formation.

- Brand:TOB NEW ENERGY
- Item No.:TOB-EF-350
- Order(Moq):1set
- Payment:L/C,T/T,Western Union, Paypal
- Product Origin:China
- Shipping Port:XIAMEN
- Lead Time:30days

Product Detail


350mm Turntable Type Vacuum Seal Machine For Preparing Lithium Pouch Cell Final Vacuum Sealing

SPECIFICATIONS

1. This Turntable type vacuum sealer machine is used for middle size pouch cell final vacuum sealing after the lithium battery formation.
2. The feed turntable is divided into sealing and loading-unloading positions, firstly put the pouch cell on loading-unloading position, start double point button, the turntable go into sealing position, up and down chamber close, form a sealing cavity, finish vacuum, puncture and hot press sealing, start again, sealed pouch cell is send out by the turntable.
3. The double working position rotary cam drive.
4. The turntable, cavity with corrosion resistant material .
5. Can preset temperature, extraction time and sealing time.
6. Upper and lower head independent temperature control, with low and high temperature alarm function.
7. Digital vacuum degree display, clear and easy to adjust the settings.
9. Adopt programmable controller PLC to realize automatic control, touch screen man-machine conversation, convenient operation and setting.

Model	TOB-EF-350
Type	Turntable type
Source voltage	AC 220V, 50HZ, Customized as request
Power	1800W
Warranty	One year limited warranty with lifetime support
Air compression	0.6-0.7MPa
Vacuum degree	≤-0.095MPa
Size (L*W*H)	900*1000*1600mm
Weight	About 700kg
Suitable battery size with air bag	350*250*15mm
Sealing head length	≤350mm
Sealing stamp width	6mm (customized)
Sealing thickness	0.1-0.35mm
Sealing temperature	RT-250°C adjustable, Accuracy ±2°
Sealing time	1-99s, adjustable
Vacuum sealing time	1-99s,adjustable
Depth of parallelism for sealing head	±0.01mm

Product display



Sealing box for vacuum seal machine
vacuum seal machine

Copper sealing head for

