

## Laboratory Battery Edge Hotting Machine

300\*150mm



This edge hotting machine is used for  
lithium pouch cell/Lithium polymer cell  
Edge hot shaping after edge folding.

- Item No.:TOB-LB-TB300
- Order(Moq):1set
- Payment:L/C,T/T,Western Union,Paypal
- Product Origin:China
- Shipping Port:XIAMEN
- Lead Time:7days

## Product Detail

### Laboratory Battery Edge Hotting Machine 300\*150mm For Pouch Cell

## SPECIFICATIONS

This edge hotting machine is used for lithium pouch cell/Lithium polymer cell Edge hot shaping after edge folding.

**Main features:**

- 1 Imported temperature controller can control the temperature of heating plate accurately, temperature can be arbitrarily adjusted from room temperature to 250 degrees.
- 2 Unique safety protection, prevent scald design, the temperature of the ironing table can be adjusted by the temperature controller panel button settings.
- 3 The hot edge plate is made of copper material, having many advantages about good heat transfer ,save power consumption, improve work efficiency.
- 4 Can be applied to different specifications of the battery.
- 5 Small size, simple operation.

Model	Lab Edge Hotting Machine TOB-LB-TB300
Hot platform size	(length)300mm*(width)150mm
Temperature	0~250℃ temperature adjustable digital display
Heating tube	500W
Current Source	AV200V/50HZ
Power	1.5KW
Dimension (L*W*H)	380*200*165mm
Weight	20KG
Heating mechanism	A copper heating work station
Electrical and standard parts	Temperature controller:Omron Solid state relay:Omron

PRODUCT DISPLAY



STANDARD PACKAGE LIST

Item	Qty
Battery edgehotting machine	1 set
Power line (according to your requirements )	1 pcs
Foot pedal	1 pcs
socket head wrench	1 set
Operating manual (English)	1 book