



Prismatic Aluminum Case Battery PET Film Wrapping Machine

This equipment is used for Prismatic Aluminum case battery outside insulation tape covering, With covering the insulation tape for total case, it can protect the battery and avoid battery circuit short.

- Brand:TOB NEW ENERGY
- Item No.:TOB-SFCA-220
- Order(Moq):1 set
- Payment:L/C,T/T,Western Union
- Product Origin:China
- Shipping Port:XIAMEN

Product Detail

Semi-auto Prismatic Aluminum Case Battery PET Film Wrapping Machine


SPECIFICATIONS

Working process :


Manual battery feeding-Battery auto to taping position-Tape auto discharging-Auto taping-tape cutting auto-Final manual collection.

Power supply	AC220V, 50Hz,+10%~-10% ;
	Total power 1KW.
Compressed air :	0.6MPa~0.8MPa $\pm 1\%$ (Clean air after dewatering, oil free, filtration and voltage stabilization)
Equipment	weight : about 400kg
	dimension : L (1.53m) * W (0.98m) * H (1.83m)
Environmental requirement	Temperature : 25 \pm 5°C
	Humidity: 30%~75%RCH, Ensure that the air is dry and free from acid-base corrosion
	Must grounding
Technology parameter	Joint blister \leq 2mm*3mm
	The side blister \leq 2mm*5mm
	Adjustable overlap:5mm~10mm
	Efficiency :200pcs/h
	Operator 1people
	Product qualification rate : $\geq 98\%$
Suitable battery size	Height :120~220mm*Width :100~180mm*Thickness : 20mm~60mm


Battery feeding




Taping discharging



Taping structure



Manual battery collection



PRODUCT DISPLAY



