

20-200ul Pipette Filler For Electrolyte Filling



20-200ul Pipette Filler For Electrolyte Filling

- Item No.:TOB-BD-200ul
- Order(Moq):1set
- Payment:L/C,T/T,Western Union,Paypal
- Product Origin:China
- Shipping Port:XIAMEN
- Lead Time:7days

Product Detail

20-200ul Electronic Digital Single Channel Pipette Filler For Coin Cell Electrolyte Filling

SPECIFICATIONS

1 The TOB-BD system pipette is an ergonomic, intuitive electronic pipette made in Germany used for dispensing electrolyte (LiPF₆ for Li ion Battery) to small Coin Cells from battery research and material coating for Spin coating in most material research.

2 This Pipette Filler with soft-touch pipette key, adjustable finger rest, light weight and innovative tip cone minimize static strain and operational forces, reducing the risk of repetitive stress injuries.

3 TOB series Pipetting device has five volume ranges for reliable dispensing, volumes from 0.5µL to 5mL upon request.

4 Five kinds pipetting mode, wider application range : Choose from five convenient operating modes that are simple to set and simple to use: standard pipette(PIP Mode), sample mixing(PIPmix Mode), reverse pipette(RevPIP Mode), step dispensing(DISP Mode), and gel loading(GEL Mode).

5 According to the need, can charge and discharge; Long battery life, a charge can be used 4000 times.

6 Cooperate with different joint adapter can make pipetting device is suitable for various brands of suction.

7 Calibration is simple, without tools

Single Channel Pipette	Range	Accuracy		Error		Suction
Model	ul	≤ ±%	ul	≤ ±%	ul	
0.5-10ul	0.01	1.0	0.1	0.4	0.04	N,A,F
2-20ul	0.02	1.0	0.2	0.4	0.08	N,A,F*
20-200ul	0.2	0.8	1.6	0.2	0.4	B,C,G*,H*,I
100-1000ul	1.0	0.6	6	0.2	2	D,U,J
500-5000ul	5.0	0.6	30	0.2	10	E
Warranty	One-year limited warranty with lifetime support					
Package	Electric digital Pipette - 1pcs 220V AC adapter with charging cable Joint adapter - 2pcs Suctions Operating manual- 1 book					

PRODUCT DISPLAY

