



Electric Pipette For Laboratory

TOB-SDQ Electric pipette Is High accuracy, high performance stepper motor ensures accuracy and repeatability, eliminating manual pipetting errors For Lab room

- Item No.:TOB-SDQ
- Order(Moq):1set
- Payment:L/C,T/T,Western Union, Paypal
- Product Origin:China
- Shipping Port:XIAMEN
- Lead Time:7days

Product Detail

Electric pipette For laboratory

SPECIFICATIONS

Volume Range μL	Increment μL	TestVolume uL	accuracy error		precision error	
			uL	%	s.d.uL	CV%
0.5-10uL	0.01uL	10	±0.10	±1.0	0.05	0.5
		1	±0.035	±3.5	0.03	3.0
5-50uL	0.1uL	50	±0.40	±0.8	0.15	0.3
		5	±0.15	±3.0	0.125	2.5
30-300uL	1uL	300	±1.8	±0.6	0.6	0.2
		30	±0.9	±3.0	0.21	0.7
100-1000uL	5uL	1000	±6.0	±0.6	2.0	0.2
		100	±3.0	±3.0	0.6	0.6

High accuracy, high performance stepper motor ensures accuracy and repeatability, eliminating manual pipetting errors

- **A motor driven digital control pipette with multifunction**
- **2 buttons handle all operational settings**
- **Light weight, ergonomic design, small body dimension for easy handling that guarantees fatigue free pipetting**
- **Pipetting, Mixing, Stepper and Dilution(Only dPette+)**
- **Pipetting, Mixing(dPette)**
- **Adjustable speeds for aspiration and dispensing**
- **Li-ion battery and dual charging modes enable longer operation time**
- **Self calibration – dPette can be connected to a PC via. USB for calibration by the user. Third party calibration is not required**

PRODUCT DISPLAY

