

煒煌有限公司 W€Y HWANG CO., LTD.



Products



- Specialized for self bonding wire coil.
 - Easy operated.
 - Auto unload coil while finish winding.
 - Foot switch connection.
 - Memory last for over 1 year.



Specification:

Model	WH-400A	WH-400B
Wire Size	0.02-0.5mm	0.02-1.0mm
Spread Pitch	9.999mm (Max)	9.999mm (Max)
Turns	1-9999.9 turns	1-9999.9 turns
Spreading Width	25mm	25mm
Winding Diameter	40mm (Max)	120mm (Max)
Main Motor	1/8HP DC motor	1/8HP DC motor
Spreading Motor	Stepping motor	Stepping motor
Speed	6000rpm (Max)	1500rpm (Max)
Memory	999 Options	999 Options
Power Supply	AC 220V, 50/60 Hz	AC 220V, 50/60 Hz

BACK



Specification:

Controlled system	CNC 6 Axis AC servo motor synchronizing control
Maximum speed	3000 rpm (Max)
Minimum angel setting	360∘/ turn,Setting unit = 0.1∘
Spindle stop precision	± 0.1°
Nozzle moving distance	40mm; Movement unit 0.01mm
Wire size range	0.04mm - 0.3mm
Maximum winding diameter	40mm
Maximum winding width	10mm
Wire bonding method	Hot air / Alcohol
Heat gun power	270W
Power Source	Single phase 220V, 50/60 Hz



BACK