

# 煒煌有限公司 WEY HWANG CO., LTD.



## Products





\*\*\* Speed control foot pedal as option \*\*\*

#### Specification:

Machine Model	WH-500	WH-500A	WH-500B
Wire Size	0.5 - 8.0mm	0.5 - 8.0mm	0.5 - 8.0mm
Spread Pitch	0.001 - 9.999mm	0.001 - 9.999mm	0.001 - 9.999mm
Winding Width	400mm (Max)	600mm (Max)	800mm (Max)
Coil Diameter	400mm (Max)	400mm (Max)	600mm (Max)
Main Motor	2HP AC motor	2HP AC motor	3HP AC motor
Spread Motor	Stepping motor	Stepping motor	Stepping motor
Winding Turns	9999.9 or 99999 turns	9999.9 or 99999 turns	9999.9 or 99999 turns
Max. Speed	600 rpm (Max)	600 rpm (Max)	600 rpm (Max)
Memory	999 Steps	999 Steps	999 Steps
Power Source	AC 220V, 50 / 60 Hz	AC 220V, 50 / 60 Hz	AC 220V, 50 / 60 Hz

### **WH-500C** High Torsion Coil Winding Machine



#### Specification:

Model	WH-500C	
Model	W11-300C	
Control method	CNC, Computer numerical control	
Speed	600 rpm (Max.)	
Wire Size	0.5 - 10.0mm	
Winding DIA.	1000mm	
Winding Width	1000mm (Max.)	
Wire Pitch	0.001 – 9.999mm	
Main Motor	3HP AC motor	
Winding Speed	600 rpm (Max)	
Power Source	220V ± 10%; 50 / 60 Hz	
Net Weight	1230 KGS	

Machine Dimension	250 x 175 x 180 cm
Gross Weight	1405 KGS
Packing Dimension	267 x 161 x 188 cm

BACK