



# DT-9926/9927/9928 7T/9928/9928T/9938

## Professional Digital Multimeters

The three models of 9926, 9927 & 9927T series are the new 6000 counts multimeters. They are a combination of precision, features, easy-to-use, safety and reliability. 9928/ 9928T series are the new 11,000 counts and 9938 is the new 22,000 counts multimeter. They are a combination of precision, features, easy-to-use, safety and reliability. 9927T/9928T has True RMS AC Voltage and Current readings, MAX-MIN recording.

### Safety Conformance

EN61010-1 CAT IV 600V, CAT III 1000V  
1000V input protection on all ranges  
10A/1000V & 0.5A/1000V fuses  
protection on current ranges




Features	DT-9926	DT-9927	DT-9927T	DT-9928	DT-9928T	DT-9938
Digital display counts	6000	6000	6000	11,000	11,000	22,000
Max. Resolution	0.1mV/0.1μA/0.1Ω			0.01mV/0.01μA/0.01Ω		
True RMS measurement			*		*	
Analog bargraph/segment	*/61	*/61	*/61			
Safety design	*	*	*	*	*	*
Relative mode	*	*	*	*	*	*
Data Hold	*	*	*	*	*	*
MAX/MIN recording mode	*	*	*	*	*	*
Auto Ranging	*	*	*	*	*	*
Auto Power Off	*	*	*	*	*	*
Wide capacitance range	1000μF	1000μF	1000μF	110mF	110mF	*
Temperature function		*	*	*	*	*

**Size(HxWxD): 182mm x 82mm x 55mm**

**Weight: 360g**

Specifications		
Function	Max. Range	Basic Accuracy
Voltage DC	1000 V	±0.09%
Voltage AC	1000 V	±0.8%
Current DC	10A	±1.0%
Current AC	10A	±1.5%
Resistance	40MΩ	±0.3%
Duty Cycle	99.90%	±1.2%
Frequency	10MHz	±0.1%
Capacitance	40mF	±3.5%
Temperature	760°C/1400°F	±3.0%
Diode Check		
Continuity Test		

# Applications



## Professional Digital Multimeters

The three models of 9926, 9927 & 9927T series are the new 6000 counts multimeters. They are a combination of precision, features, easy-to-use, safety and reliability. 9928/9928T series are the new 11,000 counts and 9938 is the new 22,000 counts multimeter. They are a combination of precision, features, easy-to-use, safety and reliability. 9927T/9928T has True RMS AC Voltage and Current readings, MAX-MIN recording.

### Safety Conformance

- EN61010-1 CAT IV 600V, CAT III 1000V
- 1000V input protection on all ranges
- 10A/1000V & 0.5A/1000V fuses protection on current ranges

**Accessories: Test leads, 9V battery. Type K temperature probe and gift box with carrying case.**