



### UTP3313TFL-II DC Power Supply

UTP3000TFL-II series single-channel linear DC power supplies are economical benchtop tools for DIY electronics hobbyists, electronics manufacturing and testing, and other applications.

Specifications		
Model		UTP3313TFL-II
Output voltage		0~30V
Output current		0~3A
Output power		90W
Load regulation		CV $\leq$ 0.01%+3mV, CC $\leq$ 0.1%+5mA
Accuracy (25°C $\pm$ 5°C)	Voltage	<0.5%+20mV
	Current	<0.5%+5mA
Ripple and noise		$\leq$ 1mVrms
Output regulation resolution		CV: 10mV (typical), CC: 1mA (typical)
Reliability		MTBF(e): $\geq$ 2000hrs
Display mode		LED voltage and current dual display
Feature		Auto conversion of constant voltage and current with current limit protection
General Characteristics		
Power		Input voltage: 110V/220V $\pm$ 5% AC; frequency: 50Hz/60Hz
Product color		White and grey
Product net weight		3kg
Product size		105mm x 165mm x 249mm
Standard accessories		Power cord, output cables
Standard individual packing		Carton box, English manual
Standard quantity per carton		4pcs
Standard carton measurement		330mm x 285mm x 460mm
Standard carton gross weight		14kg