

UT15C Waterproof Type Voltage Tester

UT15 Series test pen has the functions: AC/DC voltage measurement (include three-phase AC), phase position indication of three-phase AC, continuity test and single probe measurement (judge null wire or live wire). It can also solve the complex problems of electron, factory automation, electric power distribution and electromechanical device.

Applications:

It is applicable to smelting, electron, manufacture, fossil oil, national defense, electricity and chemical engineering and so on.

Specifications	Range	UT15C
LED AC/DC voltage indication (V)	12V	0~12V
	24V	17V±2V
	50V	35V±5V
	120V	80V±15V
	230V	165V±20V
	400V	300V±30V
	690V	510V±40V
Phase rotation test	Operating Voltage: 0V~690V	- ~
	Frequency: 50Hz~60Hz	
Single lead (L2) voltage detection	Operating Voltage: 0V~690V	- ~
	Frequency: 50Hz~400Hz	
Continuity test	Resistance: 0~100kΩ	- ~
	Beeper and LED light Indicator	
Polarity detection	Positive & Negative	\checkmark
Features		
Water-proof (IP65)		\checkmark
Auto range		\checkmark
Work light		\checkmark
Low battery indication	Short circuit two leads, LED and beeper off when the bettery is low	\checkmark
LCD AC/DC voltage display	24V~690V	±(3%+5)
General Characteristics		
Power	1.5V battery (R03) × 2	
Display	UT15C- 23mm × 12mm	
Product color	Red and grey	

Product net weight	210g
Product size (W x H x D)	275mm × 51mm × 30mm
Standard accessories	Batteries
Standard individual packing	Blister, English manual
Standard quantity per carton	30 pcs
Standard carton measurement	440mm × 395mm × 455mm (0.079CBM Per standard carton)
Standard carton gross weight	17kg