



## DT-330Series

### Mini AC, AC/DC autoranging Clamp Meters

The 330 series are designed to verify the presence of load current, voltage and resistance, etc. The small bodies and jaws fit perfectly in your hand and a large backlit display is easy to read.

Test lead  $\mu\text{A}$  range with high  $0.1\mu\text{A}$  resolution for HVAC and Process control applications (335/336 only)



Data Hold freeze the displayed value



EMC & LVD  
EN: 61326  
EN: 61010-1,



Auto Power Off EN: 61010-02-031

Specifications								
Function	Max Range	Basic Accuracy	DT-330	DT-331	DT-332	DT-333	DT-335	DT-336
Voltage DC	600V	$\pm(0.5\%+1d)$	*	*	*	*	*	*
Voltage AC	600V	$\pm(1.5\%+2d)$	*	*	*	*	*	*
Current DC	400A	$\pm(2.5\%+5d)$			*	*		
Current AC	400A	$\pm(3.0\%+4d)$	*	*	*	*	*	*
Resistance	20M $\Omega$	$\pm(3.0\%+5d)$	*	*	40M $\Omega$	40M $\Omega$	40M $\Omega$	40M $\Omega$
Temperature	1000 $^{\circ}$ C/ 1832 $^{\circ}$ F	$\pm(3.0\%+3d)$		*		*	*	
Capacitance	100uF	$\pm(2.5\%+5d)$			*	*	*	*
Frequency	150KHz	$\pm(1.2\%+2d)$			*	*	*	
	10MHz							*
Continuity	Buzzer sounds at 100 $\Omega$		*	*	*	*	*	*
Diode	Test current 0.3mA; Open circuit voltage 1.5V		*	*	*	*	*	*

Features	DT-330	DT-331	DT-332/332T	DT-333/333T	DT-335	DT-336
Max. Resolution to Current measurement	AC	AC	AC/DC	AC/DC	AC/DC	AC/DC
	1mA	1mA	10mA	10mA	0.1uA	0.1uA
LCD display counts	2000	2000	4000	4000	4000	4000
AC True RMS			332T	333T		
Display with backlight	*	*	*	*	*	*
Data Hold	*	*	*	*	*	*
Max Hold	*	*				
Zero Function			*	*	*	*
Auto Power Off	*	*	*	*	*	*
Low battery indication	*	*	*	*	*	*
AC/DC Current			*	*		
0.9" (23mm) Jaw size	*	*	*	*	*	*

Size (H x W x D): 205mm x 70mm x 37mm

Weight: 200g

## Applications



### Mini AC, AC/DC autoranging Clamp Meters

The 330 series are designed to verify the presence of load current, voltage and resistance, etc. The small bodies and jaws fit perfectly in your hand and a large backlit display is easy to read.

- Test lead  $\mu\text{A}$  range with high  $0.1\mu\text{A}$  resolution for HVAC and Process control applications (335/336 only)
- Data Hold freeze the displayed value
- Auto Power Off



**Accessories:** Test leads, gift box with carrying case, Temperature probe(331, 333, 335 only) and Two "AAA" 1.5V batteries.