


Pro-Series Anti-Slip Screwdrivers

Ergonomic soft handle design, comfort and practicality are the notable features of this super-grip handle. The special, new developed anti-slip soft plastic material on the handle is delicately formed to fit users' palm shapes, so the comfort is doubtless.



Pro-Series Slotted Anti-Slip Screwdrivers

- Expert quality, specially hardened and tempered SNCM+V Steel round blade
- High performance black hardened, magnetic tip
- Ergonomic designed handle provides optimum comfort and slip resistance grip
- Improved PP+special soft plastic material for better anti-alkali, acid and corrosion effect



TYPE	ITEM NO.	SIZE(mm)	L1(mm)	L(mm)		
-	FAAD0410	0.8x4	100	215	5	40
	FAAD5E10	1.0x5.5	100	215	5	40
	FAAD5E15	1.0x5.5	150	265	5	40
	FAAD6E10	1.2x6.5	100	215	5	40
	FAAD6E15	1.2x6.5	150	265	5	40

Pro-Series Phillips Anti-Slip Screwdrivers

- Expert quality, specially hardened and tempered SNCM+V Steel round blade
- High performance black hardened, magnetic tip
- Ergonomic designed handle provides optimum comfort and slip resistance grip
- Improved PP+special soft plastic material for better anti-alkali, acid and corrosion effect



TYPE	ITEM NO.	SIZE	L1(mm)	L(mm)		
+	FBAD0110	PH1	100	215	5	40
	FBAD0210	PH2	100	215	5	40
	FBAD0215	PH2	150	265	5	40

5PCS Slotted & Phillips Super-Grip Screwdriver Set



ITEM NO.	CONTENTS	
GAAE0507	3 FAAD0410-6E15 Slotted Anti-Slip Screwdrivers 4x100, 5.5x100, 6.5x150	20 (SET)
	2 FBAD0110 & 0210 Phillips Anti-Slip Screwdrivers PH1x100 & PH2x100	



TOPTUL
Pro-Series Anti-Slip Screwdrivers

Stubby Slotted Anti-Slip Screwdrivers

- Expert quality, specially hardened and tempered SNCM+V Steel round blade
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle



TYPE	ITEM NO.	SIZE(mm)	L1(mm)	L(mm)		
-	FABB0403	0.8x4	25	85	5	80
	FABB5E03	1.0x5.5	25	85	5	80
	FABB6E03	1.2x6.5	25	85	5	80

Stubby Phillips Anti-Slip Screwdrivers

- Expert quality, specially hardened and tempered SNCM+V Steel round blade
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle



TYPE	ITEM NO.	SIZE	L1(mm)	L(mm)		
+	FBBB0103	PH1	25	85	5	80
	FBBB0203	PH2	25	85	5	80

Stubby Pozidriv Anti-Slip Screwdrivers

- Professional S2 Alloy Steel round blade
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle



TYPE	ITEM NO.	SIZE	L1(mm)	L(mm)		
+	FCBB0103	PZ1	25	85	5	80
	FCBB0203	PZ2	25	85	5	80

Slotted Anti-Slip Screwdrivers

- Expert quality, specially hardened and tempered SNCM+V Steel round blade
- High performance black hardened, magnetic tip
- Precision-machined parallel faces enables flush contact with the sides of the slot in the screw head
- PP+TPR material non-slippery grip handle



TYPE	ITEM NO.	SIZE(mm)	L1(mm)	L(mm)		
-	FNAB2E08	0.4x2.5	75	162	5	40
	FNAB3038	0.5x3	75	162	5	40
	FNAB3E10	0.6x3.5	100	187	5	40
	FNAB3E15	0.6x3.5	150	237	5	40
	FNAB0415	0.8x4	150	255	5	40

Slotted Anti-Slip Screwdrivers

- Expert quality, specially hardened and tempered SNCM+V Steel round blade
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle



TYPE	ITEM NO.	SIZE(mm)	L1(mm)	L(mm)		
-	FAAB0308	0.5x3	75	162	5	40
	FAAB3E10	0.6x3.5	100	187	5	40
	FAAB0410	0.8x4	100	205	5	40
	FAAB0510	0.8x5	100	205	5	40
	FAAB5E10	1.0x5.5	100	215	5	40
	FAAB5E15	1.0x5.5	150	265	5	40
	FAAB6E10	1.2x6.5	100	215	5	40
	FAAB6E15	1.2x6.5	150	265	5	40
	FAAB6E20	1.2x6.5	200	315	5	30
	FAAB0818	1.2x8	175	300	5	40
	FAAB1020	1.6x10	200	325	5	30

Phillips Anti-Slip Screwdrivers

- Expert quality, specially hardened and tempered SNCM+V Steel round blade
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle



TYPE	ITEM NO.	SIZE	L1(mm)	L(mm)		
+	FBAB0006	PH0	60	147	5	40
	FBAB0108	PH1	80	185	5	40
	FBAB0110	PH1	100	205	5	40
	FBAB0210	PH2	100	215	5	40
	FBAB0215	PH2	150	265	5	40
	FBAB0220	PH2	200	315	5	30
	FBAB0315	PH3	150	275	5	30

Pozidriv Anti-Slip Screwdrivers

- Professional S2 Alloy Steel round blade
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle




TYPE	ITEM NO.	SIZE	L1(mm)	L(mm)		
+	FCAB0006	PZ0	60	147	5	40
	FCAB0108	PZ1	80	185	5	40
	FCAB0210	PZ2	100	215	5	40
	FCAB0315	PZ3	150	275	5	30

Square Anti-Slip Screwdrivers

- Expert quality, specially hardened and tempered SNCM+V Steel round blade
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle



TYPE	ITEM NO.	SIZE	L1(mm)	L(mm)		
□	FJAB0110	SQ1	100	215	5	40
	FJAB0213	SQ2	125	240	5	40
	FJAB0315	SQ3	150	265	5	30


Star Tamperproof Anti-Slip Screwdrivers

- Professional S2 Alloy Steel round blade
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle



TYPE	ITEM NO.	SIZE	L1(mm)	L(mm)		
	FEAB0808	T8	75	162	5	40
	FEAB0908	T9	75	162	5	40
	FEAB1008	T10	75	162	5	40
	FEAB1508	T15	75	180	5	40
	FEAB2010	T20	100	205	5	40
	FEAB2510	T25	100	215	5	40
	FEAB2710	T27	100	215	5	40
	FEAB3013	T30	125	240	5	40
	FEAB4015	T40	150	275	5	40

Extra Long Slotted Anti-Slip Screwdrivers

- Expert quality, specially hardened and tempered SNCM+V Steel round blade
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle



TYPE	ITEM NO.	SIZE(mm)	L1(mm)	L(mm)	⚙️	📦
-	FACB0440	0.8x4	400	505	5	10
	FACB5E40	1.0x5.5	400	515	5	10
	FACB6E25	1.2x6.5	250	365	5	30
	FACB6E30	1.2x6.5	300	415	5	10
	FACB6E40	1.2x6.5	400	515	5	10
	FACB1030	1.6x10	300	425	5	10
	FACB1040	1.6x10	400	525	5	10

3PCS

Extra Long Slotted & Phillips Super-Grip Screwdriver Set



ITEM NO.	CONTENTS	📦 8 (SET)
GAAE0305	1 FACB5E40 Extra Long Slotted Anti-Slip Screwdriver 5.5x400 2 FBCB0125 & 0225 Extra Long Phillips Anti-Slip Screwdrivers PH1x250 & PH2x250	

Star Anti-Slip Screwdrivers

- Professional S2 Alloy Steel round blade
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle



TYPE	ITEM NO.	SIZE	L1(mm)	L(mm)		
	FFAB0608	T6	75	162	5	40
	FFAB0708	T7	75	162	5	40
	FFAB0808	T8	75	162	5	40
	FFAB0908	T9	75	162	5	40
	FFAB1008	T10	75	162	5	40
	FFAB1508	T15	75	180	5	40
	FFAB2010	T20	100	205	5	40
	FFAB2510	T25	100	215	5	40
	FFAB2710	T27	100	215	5	40
	FFAB3013	T30	125	240	5	40
	FFAB4015	T40	150	275	5	40

Extra Long Phillips Anti-Slip Screwdrivers

- Expert quality, specially hardened and tempered SNCM+V Steel round blade
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle



TYPE	ITEM NO.	SIZE	L1(mm)	L(mm)		
	FBCB0125	PH1	250	355	5	30
	FBCB0140	PH1	400	505	5	10
	FBCB0225	PH2	250	365	5	30
	FBCB0230	PH2	300	415	5	10
	FBCB0240	PH2	400	515	5	10

3PCS

Extra Long Slotted & Phillips Super-Grip Screwdriver Set



ITEM NO.	CONTENTS	📦 8 (SET)
GAAE0306	2 FACB5E40 & 6E40 Extra Long Slotted Anti-Slip Screwdrivers 5.5x400 & 6.5x400 1 FBCB0240 Extra Long Phillips Anti-Slip Screwdriver PH2x400	

Slotted Anti-Slip Screwdrivers

(Hexagon Steel & Hexagon Driver)

- Expert quality, specially hardened and tempered SNCM+V Steel hexagonal blade
- Strong grip on blade with hex shoulder to use on a wrench for extra leverage
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle



TYPE	ITEM NO.	SIZE(mm)	L1(mm)	L(mm)	⚙️	📦
-	FAHB5E10	1.0x5.5	100	205	5	40
	FAHB6E15	1.2x6.5	150	265	5	40
	FAHB0818	1.2x8	175	300	5	40
	FAHB1020	1.6x10	200	325	5	30

Go-Thru Slotted Screwdrivers

(Hexagon Steel & Hexagon Driver)

- Expert quality, specially hardened and tempered SNCM+V Steel hexagonal blade
- Strong grip on blade with hex shoulder to use on a wrench for extra leverage
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle



TYPE	ITEM NO.	SIZE(mm)	L1(mm)	L(mm)	⚙️	📦
-	FAGB5E10	1.0x5.5	100	215	5	40
	FAGB6E15	1.2x6.5	150	265	5	40
	FAGB0818	1.2x8	175	300	5	40
	FAGB1020	1.6x10	200	325	5	30

Go-Thru Extra Long Slotted Screwdrivers

(Hexagon Steel & Hexagon Driver)

- Expert quality, specially hardened and tempered SNCM+V Steel hexagonal blade
- Strong grip on blade with hex shoulder to use on a wrench for extra leverage
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle



• FALB1025



• FALB1030-1040

TYPE	ITEM NO.	SIZE(mm)	L1(mm)	L(mm)	⚙️	📦
-	FALB1025	1.6x10	250	375	5	20
	FALB1030	1.6x10	300	425	5	10
	FALB1040	1.6x10	400	525	5	10

Phillips Anti-Slip Screwdrivers

(Hexagon Steel & Hexagon Driver)

- Expert quality, specially hardened and tempered SNCM+V Steel hexagonal blade
- Strong grip on blade with hex shoulder to use on a wrench for extra leverage
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle



TYPE	ITEM NO.	SIZE	L1(mm)	L(mm)	⚙️	📦
+	FBHB0108	PH1	75	180	5	40
	FBHB0210	PH2	100	215	5	40
	FBHB0315	PH3	150	275	5	30

Go-Thru Phillips Screwdrivers

(Hexagon Steel & Hexagon Driver)

- Expert quality, specially hardened and tempered SNCM+V Steel hexagonal blade
- Strong grip on blade with hex shoulder to use on a wrench for extra leverage
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle



TYPE	ITEM NO.	SIZE	L1(mm)	L(mm)	⚙️	📦
+	FBGB0108	PH1	75	190	5	40
	FBGB0210	PH2	100	215	5	40
	FBGB0215	PH2	150	265	5	40
	FBGB0315	PH3	150	275	5	30

NEW


- Strong grip on blade with additional Hexagonal Bolster to use on a wrench for extra leverage. Extra torque can be applied to the screwdriver shaft for tightening or loosening those tough screws.

Flexible Spinner Handle

- Chrome Vanadium Steel
- Extra harden and high durability
- Anti-slip ergonomic designed handle



ITEM NO.	DRIVE(inch)	L1(mm)	L(mm)		
CASP0829	1/4	175	290	5	40

Flexible Bit Holder with Handle

- Chrome Vanadium Steel
- Extra harden and high durability
- Anti-slip ergonomic designed handle



ITEM NO.	HEX(inch)	L1(mm)	L(mm)		
FTCA0829	1/4	175	290	5	40

Magnetic Bit Holder with Handle

- Chrome Vanadium Steel
- Extra harden and high durability
- Anti-slip ergonomic designed handle



ITEM NO.	HEX(inch)	L1(mm)	L(mm)		
FTBA0824	1/4	125	240	5	40

Nutspinner

- Chrome Vanadium Steel
- Extra harden and high durability
- Anti-slip ergonomic designed handle



ITEM NO.	SIZE(mm)	L1(mm)	L(mm)		
FGAB0413	4	125	230	10	40
FGAB0513	5	125	230	10	40
FGAB0613	6	125	230	10	40
FGAB0713	7	125	230	10	40
FGAB0813	8	125	240	10	40
FGAB0913	9	125	240	10	40
FGAB1013	10	125	240	10	40
FGAB1113	11	125	250	10	40
FGAB1213	12	125	250	10	40
FGAB1313	13	125	250	10	40



TOPTUL
 SCREWDRIVER SERIES

Offset Screwdrivers - Slotted

- Blade made from special high quality SVCM tool steel
- Ideal for use in confined spaces

DIN 5200

DIN ISO 2380-1


Offset Screwdrivers - Phillips

- Blade made from special high quality SVCM tool steel
- Ideal for use in confined spaces

DIN 5208

DIN ISO 8764-1




TYPE	ITEM NO.	SIZE(mm)	L1(mm)	L2(mm)		
+	FAKA3E3E	0.6x3.5	10	90	20	640
+	FAKA0404	0.8x4.0	12	100	15	240
+	FAKA5E5E	1.0x5.5	16	125	15	240
+	FAKA0808	1.2x8.0	20	150	15	240
+	FAKA1010	1.6x10	25	175	5	80

TYPE	ITEM NO.	SIZE	L1(mm)	L2(mm)		
+	FBKA0102	PH1xPH2	20	100	15	240
+	FBKA0304	PH3xPH4	30	200	5	40

Magnetizer & Demagnetizer

- High-quality plastic, shock resistant, with two permanent magnets
- Designed for magnetizing or demagnetizing screwdriver blades, tweezers and similar steel tools



• Magnetization(+)

• Demagnetization(-)

Instructions

Insert the screwdriver blades through the bottom, rectangular opening (+) to magnetize blades or through the top opening (-) to demagnetize blades.

ITEM NO.	SIZE(W)x(D)x(H)mm		
FWAM0505	55x50x28	10	120

Screwdriver Probe Voltage Tester

- Made of expert quality, Chrome Vanadium Alloy Steel
- In accordance with DIN 57680-6 and VDE 0680-6, GS tested, CE compliant
- Voltage testing range AC 110-250V
- ABS material non-slippery guard and pocket clip, dual Insulated for protection
- Contact sensor for activating test function



- Ambient temperature: 5 to 40°C, 80% rel. humidity at max., do only use in interior rooms up to an altitude of 2000m at max.

TYPE	ITEM NO.	SIZE(mm)	L1(mm)	L(mm)		
+	FAJB3E19	0.5x3.5	100	190	20	200

4PCS Phillips Super-Grip Screwdriver Set



20 (SET)

ITEM NO.	CONTENTS
GAAE0401	4 FBAB0006-0315 Phillips Anti-Slip Screwdrivers PH0x60, PH1x80, PH2x100, PH3x150

5PCS Slotted & Phillips Super-Grip Screwdriver Set



20 (SET)

ITEM NO.	CONTENTS
GAAE0504	3 FAAB5E10-0818 Slotted Anti-Slip Screwdrivers 5.5x100, 6.5x150, 8x175 2 FBAB0108 & 0210 Phillips Anti-Slip Screwdrivers PH1x80 & PH2x100

6PCS Go-Thru Slotted & Phillips Screwdriver Set (Hexagon Steel & Driver)



20 (SET)

ITEM NO.	CONTENTS
GAAE0605	4 FAGB5E10-1020 Go-Thru Slotted Screwdrivers (Hexagon Steel & Hexagon Driver) 5.5x100, 6.5x150, 8x175, 10x200 2 FBGB0108 & 0210 Go-Thru Phillips Screwdrivers (Hexagon Steel & Hexagon Driver) PH1x75 & PH2x100

5PCS Slotted Super-Grip Screwdriver Set



20 (SET)

ITEM NO.	CONTENTS
GAAE0503	5 FAAB0308-6E15 Slotted Anti-Slip Screwdrivers 3x75, 3.5x100, 4x100, 5.5x100, 6.5x150

6PCS Slotted & Phillips Super-Grip Screwdriver Set



20 (SET)

ITEM NO.	CONTENTS
GAAE0611	3 FAAB0410-1020 Slotted Anti-Slip Screwdrivers 4x100, 6.5x150, 10x200 3 FBAB0108-0315 Phillips Anti-Slip Screwdrivers PH1x80, PH2x100, PH3x150

6PCS Go-Thru Slotted & Phillips Screwdriver Set (Hexagon Steel & Driver)



20 (SET)

ITEM NO.	CONTENTS
GAAE0613	3 FAGB5E10-0818 Go-Thru Slotted Screwdrivers (Hexagon Steel & Hexagon Driver) 5.5x100, 6.5x150, 8x175 3 FBGB0108-0315 Go-Thru Phillips Screwdrivers (Hexagon Steel & Hexagon Driver) PH1x75, PH2x100, PH3x150

6PCS Star Tamperproof Super-Grip Screwdriver Set



20 (SET)

ITEM NO.	CONTENTS
GAAE0610	6 FEAB1008-4015 Star Tamperproof Anti-Slip Screwdrivers T10x75, T15x75, T20x100, T25x100, T30x125, T40x150

6PCS Slotted & Pozidriv Super-Grip Screwdriver Set



20 (SET)

ITEM NO.	CONTENTS
GAAE0604	4 FAAB0308-6E15 Slotted Anti-Slip Screwdrivers 3x75, 4x100, 5.5x100, 6.5x150 2 FCAB0108 & 0210 Pozidriv Anti-Slip Screwdrivers PZ1x80 & PZ2x100

6PCS Slotted & Phillips Super-Grip Screwdriver Set (Hexagon Steel & Driver)



20 (SET)

ITEM NO.	CONTENTS
GAAE0608	4 FAHB5E10-1020 Slotted Anti-Slip Screwdrivers (Hexagon Steel & Hexagon Driver) 5.5x100, 6.5x150, 8x175, 10x200 2 FBHB0108 & 0210 Phillips Anti-Slip Screwdrivers (Hexagon Steel & Hexagon Driver) PH1x75 & PH2x100

8PCS Slotted & Phillips Super-Grip Screwdriver Set



20 (SET)

ITEM NO.	CONTENTS
GAAE0807	5 FAAB3E10-0818 Slotted Anti-Slip Screwdrivers 3.5x100, 4x100, 5.5x100, 6.5x150, 8x175 3 FBAB0006-0210 Phillips Anti-Slip Screwdrivers PH0x60, PH1x80, PH2x100

8PCS Super-Grip Screwdriver Set



20 (SET)

ITEM NO.	CONTENTS
GAAE0821	5 FAAB3E10-0818 Slotted Anti-Slip Screwdrivers 3.5x100, 4x100, 5.5x100, 6.5x150, 8x175 1 FBAB0210 Phillips Anti-Slip Screwdriver PH2x100 1 FCAB0210 Pozidriv Anti-Slip Screwdriver PZ2x100 1 FJAB0213 Square Anti-Slip Screwdriver SQ2x125

11PCS Slotted & Phillips Super-Grip Screwdriver Set



10 (SET)

ITEM NO.	CONTENTS
GAAE1101	7 FAAB0308-1020 Slotted Anti-Slip Screwdrivers 3x75, 3.5x100, 4x100, 5.5x100, 6.5x150, 8x175, 10x200 4 FBAB0006-0315 Phillips Anti-Slip Screwdrivers PH0x60, PH1x80, PH2x100, PH3x150

58PCS Professional Grade Screwdriver & Bit Set



ITEM NO.	GAA15801
CONTENTS	3 (SET)
3 FAIB0205-0305	
• Precision Slotted Screwdrivers	
2, 2.5, 3 mm	
2 FBIB1005 & 2005	
• Precision Phillips Screwdrivers	
PH0 & PH00	
3 FFIB1005-2005	
• Precision Star Screwdrivers	
T10, T15, T20	
2 FABB5E03 & 6E03	
• Stubby Slotted Anti-Slip Screwdrivers	
5.5 & 6.5 mm	
2 FBBB0103 & 0203	
• Stubby Phillips Anti-Slip Screwdrivers	
PH1 & PH2	
4 FBAB0006-0315	
• Phillips Anti-Slip Screwdrivers	
PH0, PH1, PH2, PH3	
4 FAAB0410-0818	
• Slotted Anti-Slip Screwdrivers	
4, 5.5, 6.5, 8 mm	
5 FSAA0803-0808	
• 1/4" Hex Shank Slotted Insert Bits	
3, 4, 5.5, 6.5, 8 mm	
4 FSBA0800-0803	
• 1/4" Hex Shank Phillips Insert Bits	
PH0, PH1, PH2, PH3	
4 FSCA0800-0803	
• 1/4" Hex Shank Pozzi Insert Bits	
PZ0, PZ1, PZ2, PZ3	
7 FSDA0802-0808	
• 1/4" Hex Shank Hexagon Insert Bits	
2, 2.5, 3, 4, 5, 6, 8 mm	
7 FSEA0810-0840	
• 1/4" Hex Shank Star Insert Bits	
T10, T15, T20, T25, T27, T30, T40	
7 FSGA0810-0840	
• 1/4" Hex Shank Star Tamperproof Insert Bits	
T10, T15, T20, T25, T27, T30, T40	
1 FTCA0829	
• 1/4" (H) Flexible Bit Holder with Handle	
1 FTBA0824	
• 1/4" (H) Magnetic Bit Holder with Handle	
1 FAJA0315	
• Voltage Tester, GS/CE Approval - 140mm (L)	
1 FTDC0808	
• 1/4" (H) Magnetic Power Bit Holder	

BLOW CASE: W478 x D234 x H100 (mm)



20PCS Professional Screwdriver & Bit Set



ITEM NO.	GZC2005
CONTENTS	5 (SET)
4 FAAB0308-6E15	
• Slotted Anti-Slip Screwdrivers	
3x75, 3.5x100, 4.0x100, 6.5x150	
1 FABB5E03	
• Stubby Slotted Anti-Slip Screwdriver	
5.5x25	
1 FAGB0818	
• Go-Thru Slotted Screwdriver	
(Hexagon Steel & Hexagon Driver) - 8x175	
3 FBAB0006-0210	
• Phillips Anti-Slip Screwdrivers	
PH0x60, PH1x80, PH2x100	
1 FBBB0203	
• Stubby Phillips Anti-Slip Screwdriver	
PH2x25	
1 FCAB0210	
• Pozidriv Anti-Slip Screwdriver	
PZ2x100	
1 FJAB0213	
• Square Anti-Slip Screwdriver	
SQ2x125	
1 FTEA0806	
• 1/4" (Hex) Reversible Ratchet Screwdriver	
1 GAAV0701	
• 1/4" Hex Screwdriver Bit Set	
2, 2.5, 3, 4, 5, 6, 8 mm	

PLASTIC BOX: W373 x D289 x H56 (mm)

14PCS Slotted & Phillips Screwdriver Set



ITEM NO.	GZC1401
CONTENTS	5 (SET)
4 FAAB0308-5E15	
• Slotted Anti-Slip Screwdrivers	
3x75, 3.5x100, 4x100, 5.5x150	
2 FAHB6E15 & 0818	
• Slotted Anti-Slip Screwdrivers (Hexagon Steel & Hexagon Driver)	
6.5x150 & 8x175	
2 FABB5E03 & 6E03	
• Stubby Slotted Anti-Slip Screwdrivers	
5.5x25 & 6.5x25	
2 FBAB0006 & 0108	
• Phillips Anti-Slip Screwdrivers	
PH0x60 & PH1x80	
2 FBHB0210 & 0315	
• Phillips Anti-Slip Screwdrivers (Hexagon Steel & Hexagon Driver)	
PH2x100 & PH3x150	
2 FBBB0103 & 0203	
• Stubby Phillips Anti-Slip Screwdrivers	
PH1x25 & PH2x25	

PLASTIC BOX: W373 x D289 x H56 (mm)

Precision Slotted Screwdrivers



TYPE	ITEM NO.	SIZE(mm)	L1(mm)	L(mm)	✎	✎
✎	FAIB1B05	0.25x1.2	50	140	5	80
	FAIB1E05	0.25x1.5	50	140	5	80
	FAIB0205	0.4x2	50	140	5	80
	FAIB2E05	0.4x2.5	50	140	5	80
	FAIB0305	0.5x3	50	140	5	80

Precision Phillips Screwdrivers



TYPE	ITEM NO.	SIZE	L1(mm)	L(mm)	✎	✎
✎	FBIB1005	PH0	50	140	5	80
	FBIB2005	PH00	50	140	5	80
	FBIB3005	PH000	50	140	5	80

Precision Star Screwdrivers



TYPE	ITEM NO.	SIZE	L1(mm)	L(mm)		
	FFIB0505	T5	50	140	5	80
	FFIB0605	T6	50	140	5	80
	FFIB0705	T7	50	140	5	80
	FFIB0805	T8	50	140	5	80
	FFIB0905	T9	50	140	5	80
	FFIB1005	T10	50	140	5	80
	FFIB1505	T15	50	140	5	80
	FFIB2005	T20	50	140	5	80

8PCS

14-In-1 Precision Screwdriver Set



ITEM NO.	CONTENTS	✎	✎
GAAW0804	✎ T6xT10, T7xT15, T8xT20, T9xT25 ✎ #00x2, #0x3, #1x4 ✎ Screwdriver handle	40 (SET)	

8PCS Precision Screwdriver Set (Star Type)



ITEM NO.	CONTENTS	✎	✎
GAAW0801	✎ FFIB0505-2005 ✎ Precision Star Screwdrivers - T5x50, T6x50, T7x50, T8x50, T9x50, T10x50, T15x50, T20x50	40 (SET)	

8PCS Precision Screwdriver Set (Slotted & Phillips Type)



ITEM NO.	CONTENTS	✎	✎
GAAW0802	✎ FAIB1B05-0305 ✎ Precision Slotted Screwdrivers 1.2x50, 1.5x50, 2x50, 2.5x50, 3x50 ✎ FBIB1005-3005 ✎ Precision Phillips Screwdrivers - PH0x50, PH00x50, PH000x50	40 (SET)	

8PCS Precision Screwdriver Set (Slotted, Phillips & Star Type)



ITEM NO.	CONTENTS	✎	✎
GAAW0803	✎ FAIB1E05-0305 ✎ Precision Slotted Screwdrivers 1.5x50, 2x50, 3x50 ✎ FBIB1005-3005 ✎ Precision Phillips Screwdrivers - PH0x50, PH00x50, PH000x50 ✎ FFIB1505 & 2005 ✎ Precision Star Screwdrivers - T15x50 & T20x50	40 (SET)	

TOPTUL
PRECISION SCREWDRIVERS SERIES

NEW DEVELOPED SUPER GRIP TOPTUL PLASTIC HANDLE SCREWDRIVERS SERIES

Through-blade withstands moderate impact on end to free seized screws


Precision machined, magnetic tip ensures a secure fit of screw

Ergonomically designed handle provides a slip resistance grip

Expert quality, specially hardened and tempered Chrome Vanadium Alloy Steel hexagonal blade provides "High Strength" blade performance

Go-Thru Slotted Screwdrivers

- Made of expert quality, specially hardened and tempered Chrome Vanadium Alloy Steel
- Through-blade with stand moderate impact on end to free seized fasteners
- Precision machined, magnetic tip ensures a secure fit
- Optimum resilience and performance hexagonal blade with plastic handle
- Ergonomically designed handle provides a slip resistance grip



TYPE	ITEM NO.	SIZE(mm)	L1(mm)	L(mm)		
-	FAGE0510	0.8x5	100	210	5	40
	FAGE5E13	1.0x5.5	125	235	5	40
	FAGE6E10	1.2x6.5	100	210	5	40
	FAGE6E15	1.2x6.5	150	260	5	40

Go-Thru Phillips Screwdrivers

- Made of expert quality, specially hardened and tempered Chrome Vanadium Alloy Steel
- Through-blade with stand moderate impact on end to free seized fasteners
- Precision machined, magnetic tip ensures a secure fit
- Optimum resilience and performance hexagonal blade with plastic handle
- Ergonomically designed handle provides a slip resistance grip



TYPE	ITEM NO.	SIZE	L1(mm)	L(mm)		
+	FBGE0110	PH1	100	210	5	40
	FBGE0210	PH2	100	210	5	40
	FBGE0213	PH2	125	235	5	40

4PCS

Go-Thru Slotted & Phillips Screwdriver Set



ITEM NO.	CONTENTS
GAAE0405	2 FAGE0510 & 6E15 Go-Thru Slotted Screwdrivers 5x100 & 6.5x150 2 FBGE0110 & 0213 Go-Thru Phillips Screwdrivers PH1x100 & PH2x125

5PCS


Go-Thru Slotted & Phillips Screwdriver Set



ITEM NO.	CONTENTS
GAAE0509	3 FAGE0510-6E15 Go-Thru Slotted Screwdrivers 5x100, 5.5x125, 6.5x150 2 FBGE0110 & 0213 Go-Thru Phillips Screwdrivers PH1x100 & PH2x125

Slotted Screwdrivers

- Made of expert quality, specially hardened and tempered Chrome Vanadium Alloy Steel
- Precision machined, magnetic tip ensures a secure fit
- Ergonomically designed handle provides a slip resistance grip



TYPE	ITEM NO.	SIZE(mm)	L1(mm)	L(mm)		
-	FAAE0510	0.8x5	100	210	5	40
	FAAE5E13	1.0x5.5	125	235	5	40
	FAAE6E10	1.2x6.5	100	210	5	40
	FAAE6E15	1.2x6.5	150	260	5	40

Phillips Screwdrivers

- Made of expert quality, specially hardened and tempered Chrome Vanadium Alloy Steel
- Precision machined, magnetic tip ensures a secure fit
- Ergonomically designed handle provides a slip resistance grip



TYPE	ITEM NO.	SIZE	L1(mm)	L(mm)		
	FBAE0110	PH1	100	210	5	40
	FBAE0210	PH2	100	210	5	40
	FBAE0213	PH2	125	235	5	40

4PCS

Slotted & Phillips Screwdriver Set



ITEM NO.	CONTENTS
GAAE0404	2 FAAE0510 & 6E15 Slotted Screwdrivers 5x100 & 6.5x150 2 FBAE0110 & 0213 Phillips Screwdrivers PH1x100 & PH2x125

5PCS

Slotted & Phillips Screwdriver Set



ITEM NO.	CONTENTS
GAAE0508	3 FAAE0510-6E15 Slotted Screwdrivers 5x100, 5.5x125, 6.5x150 2 FBAE0110 & 0213 Phillips Screwdrivers PH1x100 & PH2x125


TOPTUL
 SCREWDRIVERS SERIES

VDE Insulated

1. Black Hardened Magnetic Tip extends product service life and facilitates picking up fasteners.
2. Expert quality, SNCM+V Alloy Steel enables "High Strength" blade performance.
3. Shank locked into the handle molding maximizes the turning power and secures the safety of use.
4. Blade insulation meets VDE and international standard DIN EN/IEC 60900.
5. Ergonomic Designed Handle provides optimum comfort in use especially for high torque tightening and loosening works.



- Expert quality, specially hardened and tempered SNCM+V Steel round blade
- Blade insulation meets VDE and international standard DIN EN/IEC 60900
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle

VDE Insulated Slotted Screwdrivers

TYPE	ITEM NO.	SIZE(mm)	L1(mm)	L(mm)	Weight(g)	Length(mm)
+	FAEB0308	0.5x3	75	162	5	40
+	FAEB0410	0.8x4	100	205	5	40
+	FAEB5E13	1.0x5.5	125	240	5	40
+	FAEB6E15	1.2x6.5	150	265	5	40
+	FAEB0818	1.2x8	175	300	5	40

VDE Insulated Phillips Screwdrivers

TYPE	ITEM NO.	SIZE	L1(mm)	L(mm)	Weight(g)	Length(mm)
+	FBEB0008	PH0	75	162	5	40
+	FBEB0110	PH1	100	205	5	40
+	FBEB0210	PH2	100	215	5	40
+	FBEB0315	PH3	150	275	5	30

VDE Insulated Pozidriv Screwdrivers

TYPE	ITEM NO.	SIZE	L1(mm)	L(mm)	Weight(g)	Length(mm)
+	FCEB0008	PZ0	75	162	5	40
+	FCEB0110	PZ1	100	205	5	40
+	FCEB0210	PZ2	100	215	5	40
+	FCEB0315	PZ3	150	275	5	30

7PCS VDE Insulated Screwdriver Set



ITEM NO.	CONTENTS
GAEE0704	- FAEB0410-6E15 - VDE Insulated Slotted Screwdrivers 4x100, 5.5x125, 6.5x150 - FBEB0110-0315 - VDE Insulated Phillips Screwdrivers PH1x100, PH2x100, PH3x150 - FAJA0315 - Voltage Tester, GS/CE Approval - 140mm (L) (Voltage Range 110-250V/AC)

6PCS VDE Insulated Screwdriver Set



ITEM NO.	CONTENTS
GAEE0612	- FAEB0308-5E13 - VDE Insulated Slotted Screwdrivers 3x75, 4x100, 5.5x125 - FBEB0110 & 0210 - VDE Insulated Phillips Screwdrivers PH1x100 & PH2x100 - FAJA0315 - Voltage Tester, GS/CE Approval - 140mm (L) (Voltage Range 110-250V/AC)

TOPTUL High-Torque Ratchet Screwdriver Series

9-In-1 High-Torque Stubby Ratchet Screwdriver Set

- Quick change 1/4" hex shank bit holder
- 3 position, 36 teeth ratcheting action: Forward / Lock / Reverse
- High torque performance over 350 kgf-cm
- Rigid one piece all stainless steel construction, strong magnetic extension bit holder ensures both bits and screws firmly attached to the driver
- Textured non-slip, bi-component PP+TPR plastic handle



ITEM NO.	CONTENTS
GAAR1101	- FTED0817 1/4" (H) High-Torque Stubby Ratchet Screwdriver Handle with Storage (85mmL) - FTDB0810 1/4" Hex Shank Extension Magnetic Bit Holder (95mmL) - FSAA0804-086E 1/4" Hex Shank Slotted Insert Bits 4, 5.5, 6.5 (25mmL) - FSBA0801 & 0802 1/4" Hex Shank Phillips Insert Bits PH1 & PH2 (25mmL) - FSEA0815-0825 1/4" Hex Shank Star Insert Bits T15, T20, T25 (25mmL) - FSKA0808 1/4" Hex Shank Socket Adapter 1/4" x 1/4" (25mmL)

54PCS High-Torque Pistol Grip Ratchet Screwdriver, Bit & Socket Set

- Magnetic 1/4" hex shank bit holder
- 3 position, 20 teeth ratcheting action: Forward / Lock / Reverse
- High torque performance over 400 kgf-cm
- Adjustable handle (Pistol grip & Straight handle)
- Durable & comfortable bi-component plastic handle
- Set includes 38 pieces tempered & hardened S2 steel insert bits, 13 pieces CR-V steel sockets, 1 piece stainless steel magnetic bit holder, 1 piece socket adapter and 1 piece high-torque pistol grip ratchet screwdriver handle



8-In-1 High-Torque Pistol Grip Ratchet Screwdriver Set

- Magnetic 1/4" hex shank bit holder
- 3 position, 20 teeth ratcheting action: Forward / Lock / Reverse
- High torque performance over 400 kgf-cm
- Adjustable handle (Pistol grip & Straight handle)
- Durable & comfortable bi-component plastic handle
- Includes 7 pieces S2 steel insert bits and one socket adapter. Internal bit storage (end cap carries 7 bits)



ITEM NO.	CONTENTS
GAAR0901	- FTEG0820 1/4" (H) High-Torque Pistol Grip Ratchet Screwdriver Handle with Storage (200mmL) - FSAA0804-0808 1/4" Hex Shank Slotted Insert Bits 4, 5.5, 6.5, 8 mm (25mmL) - FSBA0801-0803 1/4" Hex Shank Phillips Insert Bits PH1, PH2, PH3 (25mmL) - FPKA0808 1/4" (H) x 1/4" Dr. Socket Adapter (50mmL)



ITEM NO.	CONTENTS
GAAI5401	- BAEA0804-0814 1/4" Dr. 6PT Flank Sockets 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm (25mmL) - FSBA0800-0803 1/4" Hex Shank Phillips Insert Bits PH0, PH1, PH2x2, PH3 (25mmL) - FSCA0800-0803 1/4" Hex Shank Pozidriv Insert Bits PZ0, PZ1, PZ2, PZ3 (25mmL) - FSAA0803-0808 1/4" Hex Shank Slotted Insert Bits 3, 4, 4.5, 5.5, 6.5, 8mm (25mmL) - FSDA0802-0808 1/4" Hex Shank Hexagon Insert Bits 2, 2.5, 3, 4, 5, 6, 8mm (25mmL) - FSEA0810-0840 1/4" Hex Shank Star Insert Bits T10, T15, T20, T25, T27, T30, T40 (25mmL) - FSGA0810-0840 1/4" Hex Shank Star Tamperproof Insert Bits T10, T15, T20, T25, T27, T30, T40 (25mmL) - FSHA0801 & 0802 1/4" Hex Shank Square Insert Bits SQ1 & SQ2 (25mmL) - FSKA0808 1/4" x 1/4" Socket Adapter (25mmL) - FTDC0808 1/4" x 1/4" Magnetic Power Bit Holder (60mmL) - FTEG0820 1/4" (H) High-Torque Pistol Grip Ratchet Screwdriver Handle with Storage (200mmL)

BLOW CASE: W240 x D172 x H50 (mm)

Reversible Ratchet Screwdriver



□ Magnetic

□ Reversible

- **Reversible Ratchet Screwdriver**
- High performance magnetic 1/4"(H) Bit Driver
 - PP+TPR material non-slippery grip handle



ITEM NO.	HEX(inch)	L1(mm)	L(mm)	Weight(g)	Box Qty
FTEA0806	1/4	55	185	10	60

High-Torque Ratchet Screwdriver Handle with Storage



High-Torque Ratchet Screwdriver Handle with Storage

- High torque performance over 350 kgf-cm
- 25 gears, reversible 3-way ratchet mechanism: Forward / Lock / Reverse
- Strong corrosion resistant steel drive shaft
- Capable of storing up to 6 pieces double end screwdriver bits in hollow handle
- Comfortable, anti-slip PP+TPV plastic material heavy stress handle



ITEM NO.	HEX(inch)	L1(mm)	L(mm)	Weight(g)	Box Qty
FTED1421	1/4, 5/16, 7/16	50	207	5	40



19-In-1 High Torque Ratchet Screwdriver Set



ITEM NO.	GAAR1002
CONTENTS	10 (SET)
1 FTED1421	7/16" (Hex) High-Torque Ratchet Screwdriver Handle with Storage
1 FTDA0810	1/4" x 5/16" (Hex) Drive Shaft - 115 mm (L)
2 FKAA0105 & 0206	1/4" Hex Shank Phillips & Slotted Screwdriver Bits Φ PH1x5mm & Φ PH2x6mm - 75mm (L)
1 FKAB0308	5/16" Hex Shank Phillips & Slotted Screwdriver Bits Φ PH3x8mm - 75mm (L)
1 FKBA0102	1/4" Hex Shank Double End Pozi Screwdriver Bits Φ PZ1xPZ2 - 75mm (L)
2 FKCA1520 & 2530	1/4" Hex Shank Double End Star Screwdriver Bits Φ T15xT20 & T25xT30 - 75mm (L)
2 FKDA2E03 & 0405	1/4" Hex Shank Double End Hexagon Screwdriver Bits Φ 2.5mmx3mm & 4mmx5mm - 75mm (L)



- **High-Torque Ratchet Screwdriver Handle**
- High torque performance over 350 kgf-cm
 - 25 gears, reversible 3-way ratchet mechanism: Forward / Lock / Reverse
 - Strong corrosion resistant steel drive shaft
 - Comfortable, anti-slip PP+TPR plastic material heavy stress handle



ITEM NO.	HEX(inch)	L1(mm)	L(mm)	Weight(g)	Box Qty
FTEC1421	1/4, 5/16, 7/16	50	208	5	40

1/4" Hex Shank Phillips & Slotted Screwdriver Bits

(S2)



TYPE	ITEM NO.	SIZE	L(mm)	Weight(g)	Box Qty
+	FKAA0105	PH1x5mm	75	25	450
-	FKAA0206	PH2x6mm	75	25	450

1/4" Hex Shank Double End Pozi Screwdriver Bits

(S2)



TYPE	ITEM NO.	SIZE	L(mm)	Weight(g)	Box Qty
+	FKBA0102	PZ1xPZ2	75	25	450

7-In-1 High Torque Ratchet Screwdriver Set



ITEM NO.	GAAR0402
CONTENTS	10 (SET)
1 FTEC1421	7/16" (Hex) High-Torque Ratchet Screwdriver Handle
1 FTDA0810	1/4" x 5/16" (Hex) Drive Shaft - 115 mm (L)
1 FKAA0105	1/4" Hex Shank Phillips & Slotted Screwdriver Bits Φ PH1x5mm - 75mm (L)
1 FKAB0206	5/16" Hex Shank Phillips & Slotted Screwdriver Bits Φ PH2x6mm - 75mm (L)

1/4" Hex Shank Double End Star Screwdriver Bits

(S2)



TYPE	ITEM NO.	SIZE	L(mm)	Weight(g)	Box Qty
+	FKCA1520	T15xT20	75	25	450
-	FKCA2530	T25xT30	75	25	450

1/4" Hex Shank Double End Hexagon Screwdriver Bits

(S2)



TYPE	ITEM NO.	SIZE	L(mm)	Weight(g)	Box Qty
+	FKDA2E03	2.5mmx3mm	75	25	450
-	FKDA0405	4mmx5mm	75	25	450

5/16" Hex Shank Phillips & Slotted Screwdriver Bits

(S2)



TYPE	ITEM NO.	SIZE	L(mm)	Weight(g)	Box Qty
+	FKAB0206	PH2x6mm	75	25	450
-	FKAB0308	PH3x8mm	75	25	450

11 Pieces 20-in-1 Interchangeable Screwdriver Set

Ergonomically designed handle provides optimum comfort in use especially for high torque tightening and loosening works.

Special blade retainer with quick-release function locks the blade firmly in the place and provides an instant change between different sizes.

1/4" Hex Shank Double End Phillips Screwdriver Bits

(SNCM+V)

TYPE	ITEM NO.	SIZE	L(mm)	⚙️	📦
+	FMAA0102	PH1xPH2	175	30	240

1/4" Hex Shank Double End Pozi Screwdriver Bits

(SNCM+V)

TYPE	ITEM NO.	SIZE	L(mm)	⚙️	📦
+	FMBA0102	PZ1xPZ2	175	30	240

1/4" Hex Shank Double End Slotted Screwdriver Bits

(SNCM+V)

TYPE	ITEM NO.	SIZE	L(mm)	⚙️	📦
+	FMCA0406	4x6mm	175	30	240
+	FMCA0507	5x7mm	175	30	240

1/4" Hex Shank Hex & Ball Point Screwdriver Bits

(SNCM+V)

TYPE	ITEM NO.	SIZE	L(mm)	⚙️	📦
+	FMEA0404	4x4mm	175	30	240
+	FMEA0505	5x5mm	175	30	240
+	FMEA0606	6x6mm	175	30	240

1/4" Hex Shank Double End Star Screwdriver Bits

(SNCM+V)

TYPE	ITEM NO.	SIZE	L(mm)	⚙️	📦
+	FMDA1015	T10xT15	175	30	240
+	FMDA2025	T20xT25	175	30	240
+	FMDA3040	T30xT40	175	30	240

1/4" Hex Shank Phillips & Slotted Screwdriver Bits

(SNCM+V)

TYPE	ITEM NO.	SIZE	L(mm)	⚙️	📦
+	FMFA0206	PH2x6mm	175	30	240

NEW



1/4" Hex Shank Screwdriver Handle

ITEM NO.	HEX(inch)	L(mm)	⚙️	📦
COAJ0814	1/4	136	5	40

11PCS

20-in-1 Interchangeable Screwdriver Set

- Professional SNCM+V Alloy Steel blade
- Precision machined magnetic tip
- Double-ended reversible blades
- Quick-release blade retainer
- Anti-slip featured grip



ITEM NO.	Satin	GAAI2101	📦
1 FMAA0102			20 (SET)
1/4" Hex Shank Double End Phillips Screwdriver Bits			
PH1xPH2 - 175mm (L)			
1 FMBA0102			
1/4" Hex Shank Double End Pozi Screwdriver Bits			
PZ1xPZ2 - 175mm (L)			
1 FMCA0406 & 0507			
1/4" Hex Shank Double End Slotted Screwdriver Bits			
4x6, 5x7mm - 175mm (L)			
1 FMEA0404-0606			
1/4" Hex Shank Hex & Ball Point Screwdriver Bits			
4x4, 5x5, 6x6mm - 175mm (L)			
1 FMDA1015-3040			
1/4" Hex Shank Double End Star Screwdriver Bits			
T10xT15, T20xT25, T30xT40 - 175mm (L)			
1 COAJ0814			
1/4" Hex Shank Screwdriver Handle			
1/4" x 136mm (L)			
BLOW CASE: W240 x D170 x H50 (mm)			

1/4" HEX

1/4" Hex Shank Slotted Insert Bits

(S2)

TYPE	ITEM NO.	SIZE(mm)	L(mm)	⚙️	📦
+	FSAA0803	0.5x3	25	30	360
+	FSAA0804	0.5x4	25	30	360
+	FSAA084E	0.6x4.5	25	30	360
+	FSAA085E	1.0x5.5	25	30	360
+	FSAA086E	1.2x6.5	25	30	360
+	FSAA0808	1.2x8	25	30	360

1/4" Hex Shank Phillips Insert Bits

(S2)

TYPE	ITEM NO.	SIZE	L(mm)	⚙️	📦
+	FSBA0800	PH0	25	30	360
+	FSBA0801	PH1	25	30	360
+	FSBA0802	PH2	25	30	360
+	FSBA0803	PH3	25	30	360

1/4" Hex Shank Pozi Insert Bits

(S2)

TYPE	ITEM NO.	SIZE	L(mm)	⚙️	📦
+	FSCA0800	PZ0	25	30	360
+	FSCA0801	PZ1	25	30	360
+	FSCA0802	PZ2	25	30	360
+	FSCA0803	PZ3	25	30	360

1/4" Hex Shank Hexagon Insert Bits

(S2)

TYPE	ITEM NO.	SIZE(mm)	L(mm)	⚙️	📦
+	FSDA0802	2	25	30	360
+	FSDA082E	2.5	25	30	360
+	FSDA0803	3	25	30	360
+	FSDA0804	4	25	30	360
+	FSDA0805	5	25	30	360
+	FSDA0806	6	25	30	360
+	FSDA0807	7	25	30	360
+	FSDA0808	8	25	20	240
+	FSDA0810	10	25	20	240
+	FSDA0812	12	25	20	240

Color Box



1/4" Hex Shank Square Insert Bits

(S2)

TYPE	ITEM NO.	SIZE	L(mm)	⚙️	📦
+	FSQA0801	SQ1	25	30	360
+	FSQA0802	SQ2	25	30	360

1/4" Hex Shank Star Insert Bits

(S2)

TYPE	ITEM NO.	SIZE	L(mm)	⚙️	📦
+	FSEA0806	T6	25	30	360
+	FSEA0807	T7	25	30	360
+	FSEA0808	T8	25	30	360
+	FSEA0809	T9	25	30	360
+	FSEA0810	T10	25	30	360
+	FSEA0815	T15	25	30	360
+	FSEA0820	T20	25	30	360
+	FSEA0825	T25	25	30	360
+	FSEA0827	T27	25	30	360
+	FSEA0830	T30	25	30	360
+	FSEA0840	T40	25	30	360
+	FSEA0845	T45	25	30	360
+	FSEA0850	T50	25	30	360

1/4" Hex Shank Star Tamperproof Insert Bits

(S2)

TYPE	ITEM NO.	SIZE	L(mm)	⚙️	📦
+	FSGA0810	T10	25	30	360
+	FSGA0815	T15	25	30	360
+	FSGA0820	T20	25	30	360
+	FSGA0825	T25	25	30	360
+	FSGA0827	T27	25	30	360
+	FSGA0830	T30	25	30	360
+	FSGA0840	T40	25	30	360

■ Color Box

5/16" HEX

5/16" Hex Shank Slotted Insert Bits

(S2)



Zinc Phosphate Finished					
TYPE	ITEM NO.	SIZE(mm)	L(mm)		
-	FSAA105E	0.8x5.5	30	20	240
	FSAA1006	1.2x6	30	20	240
	FSAA106E	1.2x6.5	30	20	240
	FSAA1008	1.2x8	30	20	240
	FSAA1010	1.6x10	30	20	240
	FSAA1012	1.8x12	30	20	240

5/16" Hex Shank Spline Insert Bits

(S2)



Zinc Phosphate Finished					
TYPE	ITEM NO.	SIZE	L(mm)		
O	FSFA1005	M5	30	30	360
	FSFA1006	M6	30	30	360
	FSFA1008	M8	30	30	360
	FSFA1010	M10	30	30	360

5/16" Hex Shank Phillips Insert Bits

(S2)



Zinc Phosphate Finished					
TYPE	ITEM NO.	SIZE	L(mm)		
+	FSBA1001	PH1	30	30	360
	FSBA1002	PH2	30	30	360
	FSBA1003	PH3	30	30	360
	FSBA1004	PH4	30	30	360

5/16" Hex Shank Star Insert Bits

(S2)



Zinc Phosphate Finished					
TYPE	ITEM NO.	SIZE	L(mm)		
*	FSEA1010	T10	30	30	360
	FSEA1015	T15	30	30	360
	FSEA1020	T20	30	30	360
	FSEA1025	T25	30	30	360
	FSEA1027	T27	30	30	360
	FSEA1030	T30	30	30	360
	FSEA1035	T35	30	30	360
	FSEA1040	T40	30	30	360
	FSEA1045	T45	30	30	360
	FSEA1050	T50	30	30	360
	FSEA1055	T55	30	20	240
	FSEA1060	T60	30	20	240
	FSEA1070	T70	30	20	240

※ Material: CR-V - FSEA1070

5/16" Hex Shank Pozi Insert Bits

(S2)



Zinc Phosphate Finished					
TYPE	ITEM NO.	SIZE	L(mm)		
+	FSCA1001	PZ1	30	30	360
	FSCA1002	PZ2	30	30	360
	FSCA1003	PZ3	30	30	360
	FSCA1004	PZ4	30	30	360

5/16" Hex Shank Star Tamperproof Insert Bits

(S2)



Zinc Phosphate Finished					
TYPE	ITEM NO.	SIZE	L(mm)		
*	FSGA1027	T27	30	30	360
	FSGA1030	T30	30	30	360
	FSGA1035	T35	30	30	360
	FSGA1040	T40	30	30	360
	FSGA1045	T45	30	30	360
	FSGA1050	T50	30	30	360
	FSGA1055	T55	30	20	240
	FSGA1060	T60	30	20	240
	FSGA1070	T70	30	20	240

※ Material: CR-V - FSGA1070

5/16" Hex Shank Hexagon Insert Bits

(S2)



Zinc Phosphate Finished					
TYPE	ITEM NO.	SIZE(mm)	L(mm)		
O	FSDA1003	3	30	30	360
	FSDA1004	4	30	30	360
	FSDA1005	5	30	30	360
	FSDA105E	5.5	30	30	360
	FSDA1006	6	30	30	360
	FSDA106E	6.5	30	30	360
	FSDA1007	7	30	30	360
	FSDA1008	8	30	30	360
	FSDA1010	10	30	20	240
	FSDA1012	12	30	20	240
	FSDA1014	14	30	20	240

※ Material: CR-V - FSDA1014

5/16" Hex Shank Phillips Insert Bits

(S2)



Zinc Phosphate Finished					
TYPE	ITEM NO.	SIZE	L(mm)		
+	FSBF1002	PH2	90	15	270
	FSBF1003	PH3	90	15	270

10mm HEX

■ Color Box



10mm Hex Shank Hexagon Insert Bits

(S2)



Zinc Phosphate Finished					
TYPE	ITEM NO.	SIZE(mm)	L(mm)		
O	FSDA1204	4	30	30	360
	FSDA1205	5	30	30	360
	FSDA1206	6	30	30	360
	FSDA1207	7	30	30	360
	FSDA1208	8	30	30	360
	FSDA1210	10	30	20	240
	FSDA1212	12	30	20	240

10mm Hex Shank Long Hexagon Insert Bits

(S2)



Zinc Phosphate Finished					
TYPE	ITEM NO.	SIZE(mm)	L(mm)		
O	FSDB1204	4	75	15	270
	FSDB1205	5	75	15	270
	FSDB1206	6	75	15	270
	FSDB1207	7	75	15	270
	FSDB1208	8	75	15	270
	FSDB1210	10	75	15	270
	FSDB1212	12	75	10	180

10mm Hex Shank Star Insert Bits

(S2)



Zinc Phosphate Finished					
TYPE	ITEM NO.	SIZE	L(mm)		
*	FSEA1220	T20	30	30	360
	FSEA1225	T25	30	30	360
	FSEA1227	T27	30	30	360
	FSEA1230	T30	30	30	360
	FSEA1240	T40	30	30	360
	FSEA1245	T45	30	30	360
	FSEA1247	T47	30	30	360
	FSEA1250	T50	30	30	360
	FSEA1255	T55	30	20	240
	FSEA1260	T60	30	20	240

10mm Hex Shank Long Star Insert Bits

(S2)



Zinc Phosphate Finished					
TYPE	ITEM NO.	SIZE	L(mm)		
*	FSEB1220	T20	75	15	270
	FSEB1225	T25	75	15	270
	FSEB1227	T27	75	15	270
	FSEB1230	T30	75	15	270
	FSEB1240	T40	75	15	270
	FSEB1245	T45	75	15	270
	FSEB1250	T50	75	15	270
	FSEB1255	T55	75	15	270

10mm Hex Shank Spline Insert Bits

(S2)



Zinc Phosphate Finished					
TYPE	ITEM NO.	SIZE	L(mm)		
O	FSFA1205	M5	30	30	360
	FSFA1206	M6	30	30	360
	FSFA1208	M8	30	30	360
	FSFA1210	M10	30	20	240
	FSFA1212	M12	30	20	240

10mm Hex Shank Long Spline Insert Bits

(S2)



Zinc Phosphate Finished					
TYPE	ITEM NO.	SIZE	L(mm)		
O	FSFB1205	M5	75	15	270
	FSFB1206	M6	75	15	270
	FSFB1208	M8	75	15	270
	FSFB1209E	M9.5	75	15	270
	FSFB1210	M10	75	15	270
	FSFB1212	M12	75	10	180

■ Blister (10PCS)

1/4" HEX

1/4" Hex Shank Slotted Insert Bits



Zinc Phosphate Finished					
TYPE	ITEM NO.	SIZE(mm)	L(mm)		
	FSAA0803G	0.5x3	25	15	90
	FSAA0804G	0.5x4	25	15	90
	FSAA084EG	0.6x4.5	25	15	90
	FSAA085EG	1.0x5.5	25	15	90
	FSAA086EG	1.2x6.5	25	15	90

1/4" Hex Shank Hexagon Insert Bits



Zinc Phosphate Finished					
TYPE	ITEM NO.	SIZE(mm)	L(mm)		
	FSDA0802G	2	25	15	90
	FSDA082EG	2.5	25	15	90
	FSDA0803G	3	25	15	90
	FSDA0804G	4	25	15	90
	FSDA0805G	5	25	15	90
	FSDA0806G	6	25	15	90
	FSDA0808G	8	25	12	72

1/4" Hex Shank Phillips Insert Bits



Zinc Phosphate Finished					
TYPE	ITEM NO.	SIZE	L(mm)		
	FSBA0800G	PH0	25	15	90
	FSBA0801G	PH1	25	15	90
	FSBA0802G	PH2	25	15	90
	FSBA0803G	PH3	25	15	90

1/4" Hex Shank Star Insert Bits



Zinc Phosphate Finished					
TYPE	ITEM NO.	SIZE	L(mm)		
	FSEA0806G	T6	25	15	90
	FSEA0807G	T7	25	15	90
	FSEA0808G	T8	25	15	90
	FSEA0809G	T9	25	15	90
	FSEA0810G	T10	25	15	90
	FSEA0815G	T15	25	15	90
	FSEA0820G	T20	25	15	90
	FSEA0825G	T25	25	15	90
	FSEA0827G	T27	25	15	90
	FSEA0830G	T30	25	15	90
	FSEA0840G	T40	25	15	90

1/4" Hex Shank Pozi Insert Bits



Zinc Phosphate Finished					
TYPE	ITEM NO.	SIZE	L(mm)		
	FSCA0800G	PZ0	25	15	90
	FSCA0801G	PZ1	25	15	90
	FSCA0802G	PZ2	25	15	90
	FSCA0803G	PZ3	25	15	90

1/4" Hex Shank Star Tamperproof Insert Bits



Zinc Phosphate Finished					
TYPE	ITEM NO.	SIZE	L(mm)		
	FSGA0810G	T10	25	15	90
	FSGA0815G	T15	25	15	90
	FSGA0820G	T20	25	15	90
	FSGA0825G	T25	25	15	90
	FSGA0827G	T27	25	15	90
	FSGA0830G	T30	25	15	90
	FSGA0840G	T40	25	15	90

5/16" HEX

5/16" Hex Shank Slotted Insert Bits



Zinc Phosphate Finished					
TYPE	ITEM NO.	SIZE(mm)	L(mm)		
	FSAA105EG	0.8x5.5	30	12	72
	FSAA106EG	1.2x6.5	30	12	72
	FSAA1008G	1.2x8	30	12	72

5/16" Hex Shank Phillips Insert Bits



Zinc Phosphate Finished					
TYPE	ITEM NO.	SIZE	L(mm)		
	FSBA1001G	PH1	30	12	72
	FSBA1002G	PH2	30	12	72
	FSBA1003G	PH3	30	12	72
	FSBA1004G	PH4	30	12	72

5/16" Hex Shank Star Insert Bits



Zinc Phosphate Finished					
TYPE	ITEM NO.	SIZE	L(mm)		
	FSEA1010G	T10	30	12	72
	FSEA1015G	T15	30	12	72
	FSEA1020G	T20	30	12	72
	FSEA1025G	T25	30	12	72
	FSEA1027G	T27	30	12	72
	FSEA1030G	T30	30	12	72
	FSEA1040G	T40	30	12	72
	FSEA1045G	T45	30	12	72
	FSEA1050G	T50	30	12	72
	FSEA1055G	T55	30	12	72
	FSEA1060G	T60	30	10	60
	FSEA1070G	T70	30	10	60

※NOTE: FSEA1070G, Blister (9PCS/SET)

■ Blister (10PCS)



5/16" Hex Shank Pozi Insert Bits



Zinc Phosphate Finished					
TYPE	ITEM NO.	SIZE	L(mm)		
	FSCA1001G	PZ1	30	12	72
	FSCA1002G	PZ2	30	12	72
	FSCA1003G	PZ3	30	12	72
	FSCA1004G	PZ4	30	12	72

5/16" Hex Shank Hexagon Insert Bits



Zinc Phosphate Finished					
TYPE	ITEM NO.	SIZE(mm)	L(mm)		
	FSDA1003G	3	30	12	72
	FSDA1004G	4	30	12	72
	FSDA1005G	5	30	12	72
	FSDA1006G	6	30	12	72
	FSDA1007G	7	30	12	72
	FSDA1008G	8	30	12	72
	FSDA1010G	10	30	12	72
	FSDA1012G	12	30	10	60

5/16" Hex Shank Star Tamperproof Insert Bits



Zinc Phosphate Finished					
TYPE	ITEM NO.	SIZE	L(mm)		
	FSGA1040G	T40	30	12	72
	FSGA1045G	T45	30	12	72
	FSGA1050G	T50	30	12	72
	FSGA1055G	T55	30	12	72
	FSGA1060G	T60	30	10	60
	FSGA1070G	T70	30	10	60

※NOTE: FSGA1070G, Blister (9PCS/SET)

■ Blister (10PCS)

10mm HEX

10mm Hex Shank Hexagon Insert Bits



10mm Hex Shank Long Hexagon Insert Bits



Zinc Phosphate Finished

TYPE	ITEM NO.	SIZE(mm)	L(mm)	Icon 1	Icon 2
	FSDA1204G	4	30	12	72
	FSDA1205G	5	30	12	72
	FSDA1206G	6	30	12	72
	FSDA1207G	7	30	12	72
	FSDA1208G	8	30	12	72
	FSDA1210G	10	30	12	72
	FSDA1212G	12	30	10	60

Zinc Phosphate Finished

TYPE	ITEM NO.	SIZE(mm)	L(mm)	Icon 1	Icon 2
	FSDB1204G	4	75	10	40
	FSDB1205G	5	75	10	40
	FSDB1206G	6	75	10	40
	FSDB1207G	7	75	10	40
	FSDB1208G	8	75	10	40
	FSDB1210G	10	75	10	40
	FSDB1212G	12	75	10	40

10mm Hex Shank Star Insert Bits



10mm Hex Shank Long Star Insert Bits



Zinc Phosphate Finished

TYPE	ITEM NO.	SIZE	L(mm)	Icon 1	Icon 2
	FSEA1220G	T20	30	12	72
	FSEA1225G	T25	30	12	72
	FSEA1227G	T27	30	12	72
	FSEA1230G	T30	30	12	72
	FSEA1240G	T40	30	12	72
	FSEA1245G	T45	30	12	72
	FSEA1247G	T47	30	12	72
	FSEA1250G	T50	30	12	72
	FSEA1255G	T55	30	12	72
	FSEA1260G	T60	30	10	60

Zinc Phosphate Finished

TYPE	ITEM NO.	SIZE	L(mm)	Icon 1	Icon 2
	FSEB1220G	T20	75	10	40
	FSEB1225G	T25	75	10	40
	FSEB1227G	T27	75	10	40
	FSEB1230G	T30	75	10	40
	FSEB1240G	T40	75	10	40
	FSEB1245G	T45	75	10	40
	FSEB1250G	T50	75	10	40
	FSEB1255G	T55	75	10	40

10mm Hex Shank Spline Insert Bits



10mm Hex Shank Long Spline Insert Bits



Zinc Phosphate Finished

TYPE	ITEM NO.	SIZE	L(mm)	Icon 1	Icon 2
	FSFA1205G	M5	30	12	72
	FSFA1206G	M6	30	12	72
	FSFA1208G	M8	30	12	72
	FSFA1210G	M10	30	12	72
	FSFA1212G	M12	30	10	60

Zinc Phosphate Finished

TYPE	ITEM NO.	SIZE	L(mm)	Icon 1	Icon 2
	FSFB1205G	M5	75	10	40
	FSFB1206G	M6	75	10	40
	FSFB1208G	M8	75	10	40
	FSFB1210G	M10	75	10	40
	FSFB1212G	M12	75	10	40

Quick Change Bit Holders



Mirror Polished

ITEM NO.	DRIVE(inch)	Hex Shank	L(mm)	Icon 1	Icon 2
FTAB121012	3/8	5/16"	29	10	120
FTAB121212	3/8	10mm	29	10	120
FTAB161012	1/2	5/16"	38	10	120

Quick Change Bit Holders



Satin Chrome Finished

ITEM NO.	DRIVE(inch)	Hex Shank	L(mm)	Icon 1	Icon 2
FTAB080852	1/4	1/4"	25	30	360
FTAB120852	3/8	1/4"	29	10	120
FTAB121052	3/8	5/16"	29	10	120
FTAB121252	3/8	10mm	29	10	120
FTAB161052	1/2	5/16"	38	10	120
FTAB161252	1/2	10mm	38	10	120

7PCS Screwdriver Bit Set 1/2"



Satin Chrome Finished 50 (SET)

ITEM NO.	CONTENTS
GAAT0709	* FSBA1001~1003 ○ 5/16" x PH1, PH2, PH3 * FSAA105E~1008 ○ 5/16" x 0.8x5.5, 1.2x6.5, 1.2x8 mm * FTAB161052 ○ 1/2" x 5/16" Bits Holder

7PCS Screwdriver Bit Set 1/2"



Satin Chrome Finished 50 (SET)

ITEM NO.	CONTENTS
GAAT0707	* FSDA1204~1212 ○ 10mm x 4, 5, 6, 8, 10, 12 mm * FTAB161252 ○ 1/2" x 10 mm Bits Holder

7PCS Screwdriver Bit Set 1/2"



Satin Chrome Finished 50 (SET)

ITEM NO.	CONTENTS
GAAT0705	* FSEA1225~1255 ○ 10 mm x T25, T30, T40, T45, T50, T55 * FTAB161252 ○ 1/2" x 10 mm Bits Holder

7PCS

1/4" (H) Hex Screwdriver Bit Set



30 (SET)

ITEM NO.	CONTENTS
GAAY0701	7 FSDA0802-0808 2, 2.5, 3, 4, 5, 6, 8 mm

7PCS

1/4" (H) Star Screwdriver Bit Set



30 (SET)

ITEM NO.	CONTENTS
GAAY0702	7 FSEA0810-0840 T10, T15, T20, T25, T27, T30, T40

7PCS

1/4" (H) Star Tamperproof Screwdriver Bit Set



30 (SET)

ITEM NO.	CONTENTS
GAAY0703	7 FSGA0810-0840 T10, T15, T20, T25, T27, T30, T40

7PCS

1/4" (H) Screwdriver Bit Set



30 (SET)

ITEM NO.	CONTENTS
GAAY0704	7 FSAA0804-086E 0.5x4, 1.0x5.5, 1.2x6.5 mm 7 FSBA0801 & 0802 PH1 & PH2 7 FSCA0801 & 0802 PZ1 & PZ2

10PCS

1/4" (H) Screwdriver Bit Set



30 (SET)

ITEM NO.	CONTENTS
GAAY1001	10 FSAA084E-086E 0.6x4.5, 1.0x5.5, 1.2x6.5 mm 7 FSHA0801 & 0802 SQ1 & SQ2 7 FSEA0815-0825 T15, T20, T25 7 FSBA0801 & 0802 PH1 & PH2

11PCS

1/4" (H) Screwdriver Bit Set



30 (SET)

ITEM NO.	CONTENTS
GAAY1102	11 FSAA0804-086E 0.5x4, 1.0x5.5, 1.2x6.5 mm 7 FSBA0801 & 0802 PH1 & PH2 7 FSCA0801 & 0802 PZ1 & PZ2 7 FSDA0803-0806 3, 4, 5, 6 mm

11PCS

1/4" (H) Screwdriver Bit Set



30 (SET)

ITEM NO.	CONTENTS
GAAY1101	11 FSGA0808-0840 T8, T10x2pcs, T15x2pcs, T20x2pcs, T25x2pcs, T40 7 FSHA0801 SQ1

11PCS

1/4" (H) Screwdriver Bit Set



30 (SET)

ITEM NO.	CONTENTS
GAAY1103	11 FSXA0806-0810 6, 8, 10 mm 7 FSYA0801-0803 1, 2, 3 mm 7 FSEA0808-0825 T8, T10, T15, T20, T25

11PCS

1/4" (H) Screwdriver Bit Set



30 (SET)

ITEM NO.	CONTENTS
GAAY1104	11 FSPA0804-0808 4, 6, 8 mm 7 FSNA0803-0806 3, 4, 5, 6 mm 7 FSFA0805-0808 M5, M6, M8 7 FSHA0802 SQ2

12PCS

1/4" (H) Mini Reversible Bit Ratchet & Bit Set



10 (SET)

ITEM NO.	CONTENTS
GAAR1201	1 CHDV0809 1/4" (H) Mini Reversible Bit Ratchet Handle (90mm) 7 FSAA084E-086E 1/4" Hex Shank Slotted Insert Bits 4.5, 5.5, 6.5 (25mm) 7 FSBA0801-0802 1/4" Hex Shank Phillips Insert Bits PH1, PH2x2pcs (25mm) 7 FSEA0815-0825 1/4" Hex Shank Star Insert Bits T15, T20, T25 (25mm) 7 FSHA0801 & 0802 1/4" Hex Shank Square Insert Bits SQ1 & SQ2 (25mm)

8PCS 1/4" Hex Drive Bit Set 1/4"



ITEM NO.	CONTENTS
GAAL0802	• 30mm bits 3 PH1, PH2, PH3 3 0.5x4, 1.2x7 mm 2 PZ1, PZ2 1 1/4" Hex Drive Offset Bit Holder Wrench

8PCS 1/4" Hex Drive Hexagon Bit Set 1/4"



ITEM NO.	CONTENTS
GAAL0803	• 30mm bits 8 2, 3, 4, 5, 6, 7, 8 mm 1 1/4" Hex Drive Offset Bit Holder Wrench


31PCS Screwdriver Bit Set



8PCS 1/4" Hex Drive Star Tamperproof Bit Set 1/4"



ITEM NO.	CONTENTS
GAAL0801	• 30mm bits 7 T10, T15, T20, T25, T27, T30, T40 1 1/4" Hex Drive Offset Bit Holder Wrench



ITEM NO.	CONTENTS
GAAW3101	• PH0, PH1x2pcs, PH2x2pcs, PH3 • PZ0, PZ1x2pcs, PZ2x2pcs, PZ3 • 0.5x4, 1.0x5.5, 1.2x6.5 mm • 3, 4, 5, 6 mm • T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 • 1/4" x 1/4" Magnetic Power Bit Holder

PLASTIC BOX: W105 x D64 x H43 (mm)

11PCS 1/2" DR. Hex Shank Spline Insert Bit Set 1/2"



ITEM NO.	CONTENTS
GAAD1102	• FSFA1205-1212 10mm Hex Shank Spline Insert Bits M5, M6, M8, M10, M12 • FSFB1205-1212 10mm Long Hex Shank Spline Insert Bits M5, M6, M8, M10, M12 • FTAB161252 1/2" Dr.x10mm(H) Quick Change Bit Holder

METAL CASE: W197 x D103 x H33 (mm)

15PCS 1/2" DR. Hex Shank Star Insert Bit Set 1/2"



ITEM NO.	CONTENTS
GAAD1506	• FSEA1220-1255 10mm Hex Shank Star Insert Bits T20, T25, T30, T40, T45, T50, T55 • FSEB1220-1255 10mm Long Hex Shank Star Insert Bits T20, T25, T30, T40, T45, T50, T55 • FTAB161252 1/2" Dr.x10mm(H) Quick Change Bit Holder

METAL CASE: W197 x D103 x H33 (mm)



15PCS 1/2" DR. Hex Shank Hexagon Insert Bit Set 1/2"



ITEM NO.	CONTENTS
GAAD1508	• FSFA1204-1212 10mm Hex Shank Hexagon Insert Bits 4, 5, 6, 7, 8, 10, 12 mm • FSDB1204-1212 10mm Long Hex Shank Hexagon Insert Bits 4, 5, 6, 7, 8, 10, 12 mm • FTAB161252 1/2" Dr.x10mm(H) Quick Change Bit Holder

METAL CASE: W197 x D103 x H33 (mm)

40PCS 3/8" & 1/2" DR. Bit Set 3/8" 1/2"



ITEM NO.	CONTENTS
GAAD4002	• FSFA1205-1212 10mm Hex Shank Spline Insert Bits M5, M6, M8, M10, M12 • FSFB1205-1212 10mm Long Hex Shank Spline Insert Bits M5, M6, M8, M10, M12 • FSFA1204-1212 10mm Hex Shank Hexagon Insert Bits 4, 5, 6, 7, 8, 10, 12 mm • FSDB1204-1212 10mm Long Hex Shank Hexagon Insert Bits 4, 5, 6, 7, 8, 10, 12 mm • FSEA1220-1255 10mm Hex Shank Star Insert Bits T20, T25, T30, T40, T45, T50, T55 • FSEB1220-1255 10mm Long Hex Shank Star Insert Bits T20, T25, T30, T40, T45, T50, T55 • FTAB121252 3/8" Dr.x10mm(H) Quick Change Bit Holder • FTAB161252 1/2" Dr.x10mm(H) Quick Change Bit Holder

METAL CASE: W370 x D154 x H50 (mm)

90° Angled Driver Drill Tool

- 90° angled driver allows access to tight corners
- 360° rotating position handle for optimum control
- Die cast zinc alloy head with ball bearing guides for stability
- Heat treated steel precision gears for maximum torque
- Quick change chuck to ensure tool is held securely
- Use with bit holders, screwdriver bits, hex drills and drill/countersinks



This 90° Angled screwdriver head converts any power drill into an offset, quick-change screwdriver. Allows a power drill in places that would be impossible to reach with a straight driver. Can also be used with TOPTUL Item No. FTGA0808 (Universal Swivel Magnetic Quick Release Bit Holder) to increase the working angle.

ITEM NO.	SIZE	L1(mm)	L(mm)		
FTGC0808	1/4" x 1/4"	47	83	10	50

Extended Flexible Extension with Magnetic Quick Release Bit Holder

- Made of Aluminum Alloy Steel
- Locking, magnetic, quick release bit holder
- Super strong magnet than standard bit holder
- Compress silver ring to quickly insert and remove bit



• Magnetic



- Locking Mechanism
- Strong Magnet
- Flexible Extension
- Quick Release Bit Holder

Strong magnetic color collar for positive screw retention and positioning




• Blister




ITEM NO.	SIZE	L(mm)		
FTDE0833	1/4" x 1/4"	320	6	36

Quick Change Magnetic Bit Holder

- Quick change function and locking mechanism
- Retract collar to install or remove bits
- Anodized aluminum color sleeve



• Magnetic



ITEM NO.	SIZE	L(mm)		
FTGB0807	1/4" x 1/4"	70	10	100

1/4" Hex Shank Universal Swivel Magnetic Power Nut Setter

- Strong magnetic 6-point socket
- Knurled finger grip on sleeve for increased control and comfort
- Swivel ball end shaft enables to use in restricted spaces
- 1/4" hex fitting for power tools or hand drivers
- Black phosphate finished
- Material: Shaft Body & Socket (Chrome Vanadium Alloy Steel)
- Anodized Color Sleeve (Free Cutting Steel)




• Magnetic

TYPE	ITEM NO.	SIZE(mm)	L(mm)		
○	BEBA0806	6	87	25	100
	BEBA0808	8	87	25	100
	BEBA0810	10	87	25	100
	BEBA0812	12	87	25	100

Universal Swivel Magnetic Quick Release Bit Holder

- Locking, magnetic, quick release bit holder
- Retract collar to quickly install and remove bits



• Magnetic



ITEM NO.	SIZE	L(mm)		
FTGA0808	1/4" x 1/4"	78	10	100



TOPTUL
 1/4" Hex Drive Screwdriver Bit Set
 W/Display Box

8 SETS
 1/4" Hex Drive Screwdriver Bit Set W/Display Box



ITEM NO.	GACW3501S	
CONTENTS		4 (SET)
● GACW3501		
35PCS 1/4" Hex Drive Screwdriver Bit Set		
Per Set Contents:		
FTGA0808		
● 1/4" x ○ 1/4" Universal Swivel Magnetic Quick Release Bit Holder		
FSBA0801-0803		
⬇ 1/4" Hex Shank Phillips Insert Bits		
PH1x2pcs, PH2x3pcs, PH3		
FSCA0801-0803		
⬇ 1/4" Hex Shank Pozi Insert Bits		
PZ1x2pcs, PZ2x3pcs, PZ3		
FSA0803-086E		
⬇ 1/4" Hex Shank Slotted Insert Bits		
3, 4.5, 5.5, 6.5 mm		
FSDA0803-0806		
○ 1/4" Hex Shank Hexagon Insert Bits		
3, 4, 5, 6 mm		
FSEA0810-0840		
○ 1/4" Hex Shank Star Insert Bits		
T10, T15x2pcs, T20x2pcs, T25x2pcs, T27, T30x2pcs, T40x2pcs		
FSGA0820 & 0830		
⬇ 1/4" Hex Shank Star Tamperproof Insert Bits		
T20 & T30		
PLASTIC BOX: W115 x D77 x H43 (mm)		

8 SETS
 1/4" Hex Drive Screwdriver Bit Set W/Display Box



ITEM NO.	GACW3502S	4 (SET)
CONTENTS		
■ GACW3502		
35PCS 1/4" Hex Drive Screwdriver Bit Set		
Per Set Contents:		
● TGB0807		
● 1/4" x 1/4" Quick Change Magnetic Bit Holder		
● FSBA0801-0803		
○ 1/4" Hex Shank Phillips Insert Bits		
PH1x2pcs, PH2x3pcs, PH3		
● FSCA0801-0803		
○ 1/4" Hex Shank Pozzi Insert Bits		
PZ1x2pcs, PZ2x3pcs, PZ3		
● FSA0803-086E		
● 1/4" Hex Shank Slotted Insert Bits		
3, 4.5, 5.5, 6.5 mm		
● FSDA0803-0806		
○ 1/4" Hex Shank Hexagon Insert Bits		
3, 4, 5, 6 mm		
● FSEA0810-0840		
○ 1/4" Hex Shank Star Insert Bits		
T10, T15x2pcs, T20x2pcs, T25x2pcs, T27, T30x2pcs, T40x2pcs		
● FSGA0820 & 0830		
○ 1/4" Hex Shank Star Tamperproof Insert Bits		
T20 & T30		
PLASTIC BOX: W115 x D77 x H43 (mm)		

8 SETS
 1/4" Hex Drive Mini Ratchet Bit Set W/Display Box



ITEM NO.	GACW3503S	4 (SET)
CONTENTS		
■ GACW3503 35PCS 1/4" Hex Drive Mini Ratchet Bit Set Per Set Contents: CHDV0809 1/4" (H) 60 Teeth Mini Reversible Bit Ratchet Handle FSBA0800-0803 1/4" Hex Shank Phillips Insert Bits PH0, PH1, PH2, PH3 FSCA0800-0803 1/4" Hex Shank Pozzi Insert Bits PZ0, PZ1, PZ2, PZ3 FSHA0801 & 0802 1/4" Hex Shank Square Insert Bits SQ1 & SQ2 FSA0803-086E 1/4" Hex Shank Slotted Insert Bits 3, 4, 5.5, 6.5 mm FSDA0802-0806 1/4" Hex Shank Hexagon Insert Bits 2, 2.5, 3, 4, 5, 6 mm FSEA0810-0840 1/4" Hex Shank Star Insert Bits T10, T15, T20, T25, T27, T30, T40 FSGA0810-0840 1/4" Hex Shank Star Tamperproof Insert Bits T10, T15, T20, T25, T27, T30, T40		
PLASTIC BOX: W115 x D77 x H43 (mm)		

8 SETS
 1/4" Hex Drive Mini Ratchet Bit Set W/Display Box



ITEM NO.	GACW3504S	4 (SET)
CONTENTS		
GACW3504 35PCS 1/4" Hex Drive Mini Ratchet Bit Set Per Set Contents: CHDV0809 1/4" (H) 60 Teeth Mini Reversible Bit Ratchet Handle FSKA0808 1/4" (H) x 1/4" Dr. Socket Adaptor FSBA0800-0803 1/4" Hex Shank Phillips Insert Bits PH0, PH1, PH2x2pcs, PH3 FSCA0800-0803 1/4" Hex Shank Pozzi Insert Bits PZ0, PZ1, PZ2x2pcs, PZ3 FSA0803-0808 1/4" Hex Shank Slotted Insert Bits 3, 4, 5.5, 6.5, 8 mm FSDA0802-0808 1/4" Hex Shank Hexagon Insert Bits 2, 2.5, 3, 4, 5, 6, 8 mm FSEA0806-0809 1/4" Hex Shank Star Insert Bits T6, T7, T8, T9 FSGA0810-0840 1/4" Hex Shank Star Tamperproof Insert Bits T10, T15, T20, T25, T27, T30, T40		
PLASTIC BOX: W115 x D77 x H43 (mm)		

TOPTUL

New Socket & Bit Set W/Plastic Box


31PCS

1/4" Hex Drive Mini Ratchet Bit Set



ITEM NO.	GABW3103	30 (SET)
CONTENTS		
3 FSAA0804-086E 1/4" Hex Shank Slotted Insert Bits 4, 5.5, 6.5 mm		
3 FSBA0801-0803 1/4" Hex Shank Phillips Insert Bits PH1, PH2, PH3		
3 FSCA0801-0803 1/4" Hex Shank Pozzi Insert Bits PZ1, PZ2, PZ3		
4 FSDA0803-0806 1/4" Hex Shank Hexagon Insert Bits 3, 4, 5, 6 mm		
7 FSEA0810-0840 1/4" Hex Shank Star Insert Bits T10, T15, T20, T25, T27, T30, T40		
7 FSGA0810-0840 1/4" Hex Shank Star Tamperproof Insert Bits T10, T15, T20, T25, T27, T30, T40		
2 FSHA0801 & 0802 1/4" Hex Shank Square Insert Bits SQ1 & SQ2		
1 FSKA0808 1/4" (H) x 1/4" Dr. Socket Adaptor		
1 CHDV0809 1/4" (H) 60 Teeth Mini Reversible Bit Ratchet Handle		
PLASTIC BOX: W115 x D85 x H37 (mm)		

31PCS

Screwdriver Bit Set



ITEM NO.	GABW3102	30 (SET)
CONTENTS		
3 FSAA0804-086E 1/4" Hex Shank Slotted Insert Bits 4, 5.5, 6.5 mm		
4 FSBA0801-0803 1/4" Hex Shank Phillips Insert Bits PH1, PH2, PH2, PH3		
3 FSCA0801-0803 1/4" Hex Shank Pozzi Insert Bits PZ1, PZ2, PZ3		
4 FSDA0803-0806 1/4" Hex Shank Hexagon Insert Bits 3, 4, 5, 6 mm		
7 FSEA0810-0840 1/4" Hex Shank Star Insert Bits T10, T15, T20, T25, T27, T30, T40		
7 FSGA0810-0840 1/4" Hex Shank Star Tamperproof Insert Bits T10, T15, T20, T25, T27, T30, T40		
2 FSHA0801 & 0802 1/4" Hex Shank Square Insert Bits SQ1 & SQ2		
1 FTGB0807 1/4" x 1/4" Quick Change Magnetic Bit Holder		
PLASTIC BOX: W115 x D85 x H37 (mm)		

31PCS

Screwdriver Bit Set



ITEM NO.	GABW3101	30 (SET)
CONTENTS		
3 FSAA0804-086E 1/4" Hex Shank Slotted Insert Bits 4, 5.5, 6.5 mm		
4 FSBA0801-0803 1/4" Hex Shank Phillips Insert Bits PH1, PH2, PH2, PH3		
3 FSCA0801-0803 1/4" Hex Shank Pozzi Insert Bits PZ1, PZ2, PZ3		
4 FSDA0803-0806 1/4" Hex Shank Hexagon Insert Bits 3, 4, 5, 6 mm		
7 FSEA0810-0840 1/4" Hex Shank Star Insert Bits T10, T15, T20, T25, T27, T30, T40		
7 FSGA0810-0840 1/4" Hex Shank Star Tamperproof Insert Bits T10, T15, T20, T25, T27, T30, T40		
2 FSHA0801 & 0802 1/4" Hex Shank Square Insert Bits SQ1 & SQ2		
1 FTGA0808 1/4" x 1/4" Universal Swivel Magnetic Quick Release Bit Holder		
PLASTIC BOX: W115 x D85 x H37 (mm)		


10PCS


Power Screwdriver Bit Set

ITEM NO.	CONTENTS	50 (SET)
GAAW1002	10 Double End Phillips #1 Insert Bit PH1 x 65mm(L)	Zinc Phosphate Finished
GAAW1001	10 Double End Phillips #2 Insert Bit PH2 x 65mm(L)	
GAAW1003	10 Double End Phillips #3 Insert Bit PH3 x 65mm(L)	

1/4" Hex Shank 2-In-1 Countersink Power Bits

- High Strength S2 Steel Bits
- Tempered and hardened
- Quickly use one bit to countersink and screw
- 1/4" hex shank with power groove

2PCS Blister



Simple, quick and easy to use one bit to countersink and screw

TYPE	ITEM NO.	SIZE	L(mm)	W(mm)	H(mm)
+	FWAA0802G	PH2	50	20	240

1/4" Hex Shank Phillips Quick Change Magnetic Power Bits

- High Strength S2 Steel Bits
- Tempered and hardened
- External strong magnetic color collar for static screw retention and positioning
- 1/4" hex shank with power groove

Blister



Strong magnetic silver color ring inside the anodized color collar for positive screw retention and positioning

TYPE	ITEM NO.	SIZE	L(mm)	W(mm)	H(mm)
+	FQBB0802	PH2	50	15	180

1/4" Hex Shank Square Quick Change Magnetic Power Bits

- High Strength S2 Steel Bits
- Tempered and hardened
- External strong magnetic color collar for static screw retention and positioning
- 1/4" hex shank with power groove

Blister



Strong magnetic silver color ring inside the anodized color collar for positive screw retention and positioning

TYPE	ITEM NO.	SIZE	L(mm)	W(mm)	H(mm)
0	FQHB0802	SQ2	50	15	180

Blister

1/4" Hex Shank Magnetic Power Nut Setter

- Made of Chrome Vanadium Steel
- Precision machined tip for proper fit
- Magnetic shaft holds fastener securely
- Rugged single-piece construction provides long service life under constant use
- Ideal for quick and easy driving of nuts, bolts and hex head screws



Zinc Phosphate Finished					
TYPE	ITEM NO.	SIZE(mm)	L(mm)		
○	BEAA0806G	6	65	12	120
	BEAA0807G	7	65	12	120
	BEAA0808G	8	65	12	120
	BEAA0810G	10	65	12	120
	BEAA0813G	13	65	12	120

TYPE	ITEM NO.	SIZE(inch)	L(mm)		
○	BFAA0808G	1/4	65	12	120
	BFAA0812G	3/8	65	12	120

TYPE	ITEM NO.	SIZE(mm)	L(mm)		
○	BEAB0808G	8	100	12	72

1/4" Hex Shank Magnetic Power Nut Setter

- Made of S2 Alloy Steel
- Precision machined tip for proper fit
- Magnetic shaft holds fastener securely
- Rugged single-piece construction provides long service life under constant use
- Ideal for quick and easy driving of nuts, bolts and hex head screws



Zinc Phosphate Finished					
TYPE	ITEM NO.	SIZE(mm)	L(mm)		
○	BEAD0808G	8	200	12	72

3PCS Power Socket Adapter Set



Magnetic Power Bit Holder

- Strong magnetic bit retention ensures a safe grip of bits and screws
- 1/4" hex fitting for power tools or hand drivers
- Material: Shaft Body (Chrome Vanadium Alloy Steel) / sleeve socket (Stainless Steel)
- Overall Length: 60mm



ITEM NO.	SIZE	L(mm)		
FTDC0808G	1/4" x 1/4"	60	15	180

1/4" Hex Shank Socket Adapter

- Made of Chrome Vanadium Alloy Steel
- Square drive with ball retainer
- 1/4" hex fitting for power tools or hand drivers



Zinc Phosphate Finished				
ITEM NO.	SIZE	L(mm)		
FPA0808G	1/4" x 1/4"	50	15	180
FPA0812G	3/8" x 1/4"	65	15	180
FPA0816G	1/2" x 1/4"	72	15	180

NEW CR-V

ITEM NO.	CONTENTS		
GAAR0301	1 FPA0808 1/4" Hex Shank Socket Adapter 1/4" x 1/4" L=50mm	20	80
	1 FPA0812 1/4" Hex Shank Socket Adapter 3/8" x 1/4" L=65mm		
	1 FPA0816 1/4" Hex Shank Socket Adapter 1/2" x 1/4" L=72mm		

Blister



1/4" Hex Shank Phillips Magnetic Power Screwdriver Bits

- Made of S2 Alloy Steel Material
- Precision machined and magnetic tip
- Fully hardened & tempered



Zinc Phosphate Finished					
TYPE	ITEM NO.	Ømm	SIZE	L(mm)	
+	FSLA0802G	4.5	PH2	50	15 60

1/4" Hex Shank Phillips Magnetic Power Screwdriver Bits

- Made of S2 Alloy Steel Material
- Precision machined and magnetic tip
- Fully hardened & tempered



Zinc Phosphate Finished					
TYPE	ITEM NO.	Ømm	SIZE	L(mm)	
+	FSLB0802G	4.5	PH2	100	15 90

TYPE	ITEM NO.	Ømm	SIZE	L(mm)	
+	FSLC0802G	4.5	PH2	150	12 48

1/4" Hex Shank Anti-Slip Phillips Magnetic Power Screwdriver Bits

- Made of S2 Alloy Steel Material
- Precision machined and magnetic tip
- Fully hardened & tempered
- New designed & improved anti-slip Phillips tip




Zinc Phosphate Finished					
TYPE	ITEM NO.	Ømm	SIZE	L(mm)	
+	FSMB0802G	4.8	PH2	100	15 90

TYPE	ITEM NO.	Ømm	SIZE	L(mm)	
+	FSMC0802G	4.8	PH2	150	12 48

1/4" Hex Shank Anti-Slip Phillips Magnetic Power Screwdriver Bits

- Made of S2 Alloy Steel Material
- Precision machined and magnetic tip
- Fully hardened & tempered
- New designed & improved anti-slip Phillips tip



New Designed Anti-Slip Phillips Tips
THESE RIBS HELP REDUCE CAMOUT OR SLIPPAGE OF THE DRIVER BITS DURING OPERATION
This advanced Phillips tip ensures the driver is securely fitted to the screw. It can effectively eliminate the possible damages to the screw heads.
The ribbed and precision machined tip (driver) also provides consistent engagement to the screw. It is perfect to use and drive the screw in the hard to reach areas.

Zinc Phosphate Finished					
TYPE	ITEM NO.	Ømm	SIZE	L(mm)	
+	FSMA0802G	4.8	PH2	50	15 60

Blister
1/4" Hex Shank Slotted Power Screwdriver Bits

- Made of S2 Alloy Steel Material
- Precision machined tip
- Fully hardened & tempered


 Blister
(10PCS)

 FSQA0808G,
Blister (8PCS/SET)

Zinc Phosphate Finished						
TYPE	ITEM NO.	Ømm	SIZE(mm)	L(mm)	✎	✎
	FSQA0803G	3	0.5x3	50	15	60
	FSQA0803EG	3.5	0.6x3.5	50	15	60
	FSQA0804G	4	0.5x4	50	15	60
	FSQA0804EG	4.5	0.6x4.5	50	15	60
	FSQA0805EG	5.5	0.8x5.5	50	15	60
	FSQA0806G	6	1.0x6	50	15	60
	FSQA0806EG	-	1.2x6.5	50	15	60
	FSQA0808G	8	1.2x8	50	15	60

※NOTE: FSQA0808G, Blister (8PCS/SET)

1/4" Hex Shank Phillips Power Screwdriver Bits

- Made of S2 Alloy Steel Material
- Precision machined tip
- Fully hardened & tempered



FSIA



Zinc Phosphate Finished						
TYPE	ITEM NO.	Ømm	SIZE	L(mm)	✎	✎
	FSIA0801G	5	PH1	50	15	60
	FSIA0802G	6	PH2	50	15	60
	FSIA0803G	6	PH3	50	15	60
TYPE	ITEM NO.	Ømm	SIZE	L(mm)	✎	✎
	FSID0801G	5	PH1	70	15	60
	FSID0802G	6	PH2	70	15	60
	FSID0803G	6	PH3	70	15	60

1/4" Hex Shank Phillips Power Screwdriver Bits

- Made of S2 Alloy Steel Material
- Precision machined tip
- Fully hardened & tempered



FSIB



Zinc Phosphate Finished						
TYPE	ITEM NO.	Ømm	SIZE	L(mm)	✎	✎
	FSIB0801G	5	PH1	100	15	90
	FSIB0802G	6	PH2	100	15	90
	FSIB0803G	6	PH3	100	15	90
TYPE	ITEM NO.	Ømm	SIZE	L(mm)	✎	✎
	FSIC0802G	6	PH2	150	12	48

1/4" Hex Shank Pozzi Power Screwdriver Bits

- Made of S2 Alloy Steel Material
- Precision machined tip
- Fully hardened & tempered


 Blister
(10PCS)


Zinc Phosphate Finished						
TYPE	ITEM NO.	Ømm	SIZE	L(mm)	✎	✎
	FSRA0801G	4.5	PZ1	50	15	60
	FSRA0802G	6	PZ2	50	15	60
	FSRA0803G	6	PZ3	50	15	60

1/4" Hex Shank Hexagon Power Screwdriver Bits

- Made of S2 Alloy Steel Material
- Precision machined tip
- Fully hardened & tempered


 Blister
(10PCS)


Zinc Phosphate Finished						
TYPE	ITEM NO.	Ømm	SIZE(mm)	L(mm)	✎	✎
	FSOA0803G	4	3	50	15	60
	FSOA0804G	5	4	50	15	60
	FSOA0805G	6	5	50	15	60
	FSOA0806G	-	6	50	15	60
	FSOA0808G	-	8	50	15	60

※NOTE: FSOA0808G, Blister (8PCS/SET)

1/4" Hex Shank Star Power Screwdriver Bits

- Made of S2 Alloy Steel Material
- Precision machined tip
- Fully hardened & tempered


 Blister
(10PCS)


Zinc Phosphate Finished						
TYPE	ITEM NO.	Ømm	SIZE	L(mm)	✎	✎
	FSSA0810G	4	T10	50	15	60
	FSSA0815G	4	T15	50	15	60
	FSSA0820G	4.8	T20	50	15	60
	FSSA0825G	4.8	T25	50	15	60
	FSSA0827G	6	T27	50	15	60
	FSSA0830G	6	T30	50	15	60
	FSSA0840G	-	T40	50	15	60

Zinc Phosphate Finished						
TYPE	ITEM NO.	Ømm	SIZE	L(mm)	✎	✎
	FSSD0810G	4	T10	70	15	60
	FSSD0815G	4	T15	70	15	60
	FSSD0820G	4.8	T20	70	15	60
	FSSD0825G	4.8	T25	70	15	60
	FSSD0827G	6	T27	70	15	60
	FSSD0830G	6	T30	70	15	60
	FSSD0840G	-	T40	70	15	60

Color Box

Magnetic Power Bit Holder

- Strong magnetic bit retention ensures a safe grip of bits and screws
- 1/4" hex fitting for power tools or hand drivers
- Material: Shaft Body (Chrome Vanadium Alloy Steel) / sleeve socket (Stainless Steel)
- Overall Length: 60mm



• Magnetic



ITEM NO.	SIZE	L(mm)	✎	✎
FTDC0808	1/4" x 1/4"	60	15	270

1/4" Hex Shank Socket Adapter

- Made of Chrome Vanadium Alloy Steel
- 1/4" square drive with ball retainer



Zinc Phosphate Finished				
ITEM NO.	SIZE	L(mm)	✎	✎
FSKA0808	1/4" x 1/4"	25	30	360

1/4" Hex Shank Socket Adapter

- Made of Chrome Vanadium Alloy Steel
- Square drive with ball retainer
- 1/4" hex fitting for power tools or hand drivers



Zinc Phosphate Finished				
ITEM NO.	SIZE	L(mm)	✎	✎
FPKA0808	1/4" x 1/4"	50	20	240
FPKA0812	3/8" x 1/4"	65	15	180
FPKA0816	1/2" x 1/4"	72	10	120

1/4" Hex Shank Magnetic Power Nut Setter

- Made of Chrome Vanadium Steel
- Precision machined tip for proper fit
- Magnetic shaft holds fastener securely
- Rugged single-piece construction provides long service life under constant use
- Ideal for quick and easy driving of nuts, bolts and hex head screws



BEAA0810



BFAA0812



BEAB0808

Zinc Phosphate Finished						
TYPE	ITEM NO.	SIZE(mm)	L(mm)	✎	✎	✎
	BEAA0806	6	65	50	400	
	BEAA0807	7	65	50	400	
	BEAA0808	8	65	50	400	
	BEAA0810	10	65	50	400	
	BEAA0813	13	65	50	400	

TYPE	ITEM NO.	SIZE(inch)	L(mm)	✎	✎	✎
	BFAA0808	1/4	65	50	400	
	BFAA0812	3/8	65	50	400	

TYPE	ITEM NO.	SIZE(mm)	L(mm)	✎	✎	✎
	BEAB0808	8	100	50	400	

1/4" Hex Shank Magnetic Power Nut Setter

- Made of S2 Alloy Steel
- Precision machined tip for proper fit
- Magnetic shaft holds fastener securely
- Rugged single-piece construction provides long service life under constant use
- Ideal for quick and easy driving of nuts, bolts and hex head screws



Zinc Phosphate Finished						
TYPE	ITEM NO.	SIZE(mm)	L(mm)	✎	✎	✎
	BEAD0808	8	200	10	120	

1/4" Hex Shank Phillips Magnetic Power Screwdriver Bits

- Made of S2 Alloy Steel Material
- Precision machined and magnetic tip
- Fully hardened & tempered



FSLA



FSLB



FSLC

Zinc Phosphate Finished						
TYPE	ITEM NO.	Ømm	SIZE	L(mm)	✎	✎
	FSLA0802	4.5	PH2	50	100	1600
TYPE	ITEM NO.	Ømm	SIZE	L(mm)	✎	✎
	FSLB0802	4.5	PH2	100	50	800
TYPE	ITEM NO.	Ømm	SIZE	L(mm)	✎	✎
	FSLC0802	4.5	PH2	150	50	800

Color Box

1/4" Hex Shank Anti-Slip Phillips Magnetic Power Screwdriver Bits

- Made of S2 Alloy Steel Material
- Precision machined and magnetic tip
- Fully hardened & tempered
- New designed & improved anti-slip Phillips tip



• FSMA



• FSMB



• FSMC


New Designed Anti-Slip Phillips Tips

THESE RIBS HELP REDUCE CAMOUT OR SLIPPAGE OF THE DRIVER BITS DURING OPERATION

This advanced Phillips tip ensures the driver is securely fitted to the screw. It can effectively eliminate the possible damages to the screw heads.

The ribbed and precision machined tip (driver) also provides consistent engagement to the screw. It is perfect to use and drive the screw in the hard to reach areas.

1/4" Hex Shank Slotted Power Screwdriver Bits

- Made of S2 Alloy Steel Material
- Precision machined tip
- Fully hardened & tempered



• FSQA

TYPE	ITEM NO.	Ømm	SIZE(mm)	L(mm)	Zinc Phosphate Finished	
	FSQA0803	3	0.5x3	50	100	1600
	FSQA083E	3.5	0.6x3.5	50	100	1600
	FSQA0804	4	0.5x4	50	100	1600
	FSQA084E	4.5	0.6x4.5	50	100	1600
	FSQA085E	5.5	0.8x5.5	50	100	1600
	FSQA0806	6	1.0x6	50	100	1600
	FSQA086E	-	1.2x6.5	50	100	1600
	FSQA0808	8	1.2x8	50	100	1600

1/4" Hex Shank Pozi Power Screwdriver Bits

- Made of S2 Alloy Steel Material
- Precision machined tip
- Fully hardened & tempered



• FSRA

TYPE	ITEM NO.	Ømm	SIZE	L(mm)	Zinc Phosphate Finished	
	FSRA0801	4.5	PZ1	50	100	1600
	FSRA0802	6	PZ2	50	100	1600
	FSRA0803	6	PZ3	50	100	1600

1/4" Hex Shank Hexagon Power Screwdriver Bits

- Made of S2 Alloy Steel Material
- Precision machined tip
- Fully hardened & tempered



• FSOA

TYPE	ITEM NO.	Ømm	SIZE(mm)	L(mm)	Zinc Phosphate Finished	
	FSOA0803	4	3	50	100	1600
	FSOA0804	5	4	50	100	1600
	FSOA0805	6	5	50	100	1600
	FSOA0806	-	6	50	100	1600
	FSOA0808	-	8	50	100	1200

1/4" Hex Shank Star Power Screwdriver Bits

- Made of S2 Alloy Steel Material
- Precision machined tip
- Fully hardened & tempered



• FSSA



• FSSD

TYPE	ITEM NO.	Ømm	SIZE	L(mm)	Zinc Phosphate Finished	
	FSSA0810	4	T10	50	100	1600
	FSSA0815	4	T15	50	100	1600
	FSSA0820	4.8	T20	50	100	1600
	FSSA0825	4.8	T25	50	100	1600
	FSSA0827	6	T27	50	100	1600
	FSSA0830	6	T30	50	100	1600
	FSSA0840	-	T40	50	100	1600

TYPE	ITEM NO.	Ømm	SIZE	L(mm)	Zinc Phosphate Finished	
	FSSD0810	4	T10	70	100	1600
	FSSD0815	4	T15	70	100	1600
	FSSD0820	4.8	T20	70	100	1600
	FSSD0825	4.8	T25	70	100	1600
	FSSD0827	6	T27	70	100	1200
	FSSD0830	6	T30	70	100	1200
	FSSD0840	-	T40	70	100	1200

TYPE	ITEM NO.	Ømm	SIZE	L(mm)	Zinc Phosphate Finished	
	FSMA0802	4.8	PH2	50	100	1600
	FSMB0802	4.8	PH2	100	50	800
	FSMC0802	4.8	PH2	150	50	800

1/4" Hex Shank Phillips Power Screwdriver Bits

- Made of S2 Alloy Steel Material
- Precision machined tip
- Fully hardened & tempered



• FSIA



• FSID



• FSIB



• FSIC

TYPE	ITEM NO.	Ømm	SIZE	L(mm)	Zinc Phosphate Finished	
	FSIA0801	5	PH1	50	100	1600
	FSIA0802	6	PH2	50	100	1600
	FSIA0803	6	PH3	50	100	1600
	FSID0801	5	PH1	70	100	1600
	FSID0802	6	PH2	70	100	1600
	FSID0803	6	PH3	70	100	1600

TYPE	ITEM NO.	Ømm	SIZE	L(mm)	Zinc Phosphate Finished	
	FSIB0801	5	PH1	100	50	800
	FSIB0802	6	PH2	100	50	800
	FSIB0803	6	PH3	100	50	800
	FSIC0802	6	PH2	150	50	800



PROFESSIONAL
HAND TOOLS

324

PLIERS SERIES

Exceptional

multi-purposes cutting and gripping tools with various capacity to use.