



HD-B Portable Type of Standard Balances

HD series lead the economic balance. The delicacy construction, innovative design, advanced technology, stable operation and easy to maintain make HD series the most cost-effective series.

Introduction

Main Specification					
Item No.	Weighing Range(g)	Readability(g)	Repeatability(g)	Linearity(g)	Pan Size (mm)
HD-B1200	1200	0.1	±0.1	±0.2	Φ128
HD-B2000	2000				
HD-B3000	3000				
HD-B5000	5000				
HD-B6000	6000				
HD-B10000	10000				
HD-C2000	2000	1	±1	±2	145×160
HD-C6000	6000	1			
Work Temp: 5°C – 35°C, 80%RH					
Housing (L×W×H) : 260×175×60mm					

Main Characteristic	
Sensor Structure	Loadcell Sensor
Calibration Way	External CAL
Anti-vibration Level	N/A
Housing	High-strength ABS shell
Display	LED Display, Brightness adjustable
Stable time	3s Adjustable
Unit	g, ct, oz, ozl, dwt, lb, tIT, tIs, kg, 9units selectable
Interface	N/A
Weighing Mode Lock	N/A
Underhook	Optional
Power	AC adaptor, Optional with inner rechargeable battery

Application Mode	
Percentage Weighing	Counting Function
High-low Weighing	Accumulate Function

