



DTF-A Basic Type of Precision Balances

DTF is a standard product, has the function of AC-DC which is convenient for outdoor users. It is LED display and is optional with external display.

Creative Appearance: The inspiration comes from precision balance. The novel unique design will help you own more pricing power.

Stable Quality: Machine-made mainboard ensures the stability of quality which will help you win the reputation.

Low Price: It is economic electronic balance, but compact electronic scale' s price.

Main Specification

Item No.	Weighing Range(g)	Readability(g)	Repeatability(g)	Linearity(g)	Pan Size (mm)
DTF-A200	200	0.01	±0.01	±0.02	Φ133
DTF-A300	300				
DTF-A500	500				
DTF-A600	600				
DTF-A1000	1000				
DTF-A2000	2000		±0.02	±0.03	
DTF-A3000	3000				156×156

Housing (L×W×H) : 295×208×88mm

Main Characteristic

Sensor Structure	Loadcell Sensor
Calibration Way	External CAL
Anti-vibration Level	Six level anti-vibration adjustable function
Housing	Aluminum Base+ABS Top Shell
Display	LED Display, Backlit Brightness adjustable
Stable time	3-10s Adjustable
Unit	g, ct, oz, ozt, dwt, GN, lb, N, dr, tIT, tIs, tIH, T, bat, kg, 14units selectable
Interface	Optional with RS232
Weighing Mode Lock	Weighing Mode Lock Automatically
Underhook	Optional
Power	AC adaptor, Optional with inner rechargeable battery

Application Mode

Percentage Weighing	Selectable weighing and count mode
---------------------	------------------------------------

High-low weighing Function

Accumulate function