



HZF-A+ Basic Type of High Precision Balances

HZF has a wonderful housing with optional battery and external display. It is one of the most cost-effective standard balances.

Creative Appearance: The inspiration comes from precision balance. The novel unique design will help you own more pricing power.

Stable Quality: Machine-made mainboard ensures the stability of quality which will help you win the reputation.

Low Price: It is economic electronic balance, but compact electronic scale's price.

| Main Specification | | | |
|----------------------|--------------------|-----------|-----------|
| Item No. | HZF-A+100 | HZF-A+200 | HZF-A+300 |
| Weighing Range | 100g | 200g | 300g |
| Readability | 1mg | 1mg | 1mg |
| Repeatability | ±2mg | ±2mg | ±2mg |
| Linearity | ±2mg | ±2mg | ±2mg |
| Work Temp | 12°C – 28°C, 80%RH | | |
| Pan Size | Ø80mm | | |
| Housing (L×W×H) | 295×208×290 | | |

| Main Characteristic | |
|----------------------|--|
| Sensor Structure | Loadcell Sensor |
| Calibration Way | External CAL |
| Anti-vibration Level | Six level anti-vibration adjustable function |
| Housing | Aluminum Base+ABS Top Shell |

| | |
|--------------------|---|
| Display | LED Display, Backlit Brightness adjustable |
| Stable time | 3-10s Adjustable |
| Unit | g, ct, oz, ozl, dwt, GN, lb, N, dr, tIT, tIs, tIH, T, bat, kg, 14units selectable |
| Interface | Optional with RS232 |
| Weighing Mode Lock | Weighing Mode Lock Automatically |
| Underhook | Optional |
| Power | AC adaptor, Optional with inner rechargeable battery |

| | |
|----------------------------|------------------------------------|
| Application Mode | |
| Percentage Weighing | Selectable weighing and count mode |
| High-low weighing Function | Accumulate function |