Products for Industry

Rotary evaporator, Glass "A", Oil Bath

RE301A-0

Item Code : 255423 Model : RE301A-0

Page Top

Product Summary

Specifications

Optional items

Same series products





The photo shows RE 301 A - 0 (main body + glass set A + oil bath BO 400 type)

Rotary evaporator, Glass "A", Oil Bath (RE301A-0)

Contact Us

Printing

Product Summary

Basic with motorized lift and digital setting

Features of Rotary evaporator, Glass "A", Oil Bath (RE301A-0)

Features

One touch electric lift for easy up and down movement.

Features

The evaporator's motor speed (rpm) is digitally set and displayed.

Features

Unique durable vacuum seal suitable up to 2L flasks.

Features

Stable rotation at low and high speeds.

Features

Equipped with lift up switch in case of power outage.

Features

Removable bath for easy cleaning and water replacement, with the option for water or oil bath.

Features

Compact design fits into any fume hood.

Features

Universal power supply: works with 100-240VAC.

Specifications

Specifications

Item Code	255423
Model	RE301A-O
Motor	DC brushless motor
Rotation speed	20~250 (rpm)
Lift stroke	130 m m
Rotational speed setting	Control knob (digital indication)
Safety function (main unit)	Manual-setting lower limit, motor overload
Lifting feature	Motorized lifting system
External dimensions (W×D×H mm)	828×400×586mm
Remarks(dimensions)	With Glassware A (mm), (716 when raised)
Power Source	AC100 to 240V 1.5A
Weight	14.1kg
Remarks(weight)	Excluding glassware and water/ oil bath.

Remarks(specifications)

RE301 body + glass set A + water bath BM500 combination product

Optional items

NO IMAGE

NO IMAGE

NO IMAGE

Rotary evaporator glass set A for RE202/212 (TS29) (RG202A-E) Rotary evaporator glass set B for RE202/212 (TS29) (RG202B-E)

Rotary evaporator glass set B for RE202/212 (TS24) (RG202B-D)

Same series products



Rotary evaporator, Glass "C", Oil Bath, TA300 (RE301C-OT)



Rotary evaporator, Glass "C", Oil Bath, VR300 (RE301C-OV)



Rotary evaporator, Glass "C", TA300 (RE301C-T)