

Rotary evaporator, Glass "A", Oil Bath, TA300RE301A-OT

<a href="#">Page Top</a>	<a href="#">Product Summary</a>	<a href="#">Specifications</a>	<a href="#">Optional items</a>	<a href="#">Same series products</a>
--------------------------	---------------------------------	--------------------------------	--------------------------------	--------------------------------------

Rotary evaporator, Glass "A", Oil Bath, TA300  
**RE301A-OT**

Item Code : 255456  
Model : RE301A-OT

<a href="#">Page Top</a>	<a href="#">Product Summary</a>	<a href="#">Specifications</a>	<a href="#">Optional items</a>	<a href="#">Same series products</a>
--------------------------	---------------------------------	--------------------------------	--------------------------------	--------------------------------------



The photo shows RE 301 A - O (main body + glass set A + oil bath BO 400 type)

**Rotary evaporator, Glass "A", Oil Bath, TA300 (RE301A-OT)**

[Contact Us](#)

[Printing](#)

**Product Summary**

**Basic with motorized lift and digital setting**

**Features of Rotary evaporator, Glass "A", Oil Bath, TA300 (RE301A-OT)**

**Features**

One touch electric lift for easy up and down movement.

**Features**

The evaporator's motor speed (rpm) is digitally set and displayed.

**Features**

Unique durable vacuum seal suitable up to 2L flasks.

Rotary evaporator, Glass "A", Oil Bath, TA300RE301A-OT

<a href="#">Page Top</a>	<a href="#">Product Summary</a>	<a href="#">Specifications</a>	<a href="#">Optional items</a>	<a href="#">Same series products</a>
--------------------------	---------------------------------	--------------------------------	--------------------------------	--------------------------------------

Features

Equipped with lift up switch in case of power outage.

Features

Removable bath for easy cleaning and water replacement, with the option for water or oil bath.

Features

Compact design fits into any fume hood.

Features

Universal power supply: works with 100-240VAC.

Specifications

Specifications

Item Code	255456
Model	RE301A-OT
Motor	DC brushless motor
Rotation speed	20 to 250 (rpm)
Lift stroke	20 to 250 (rpm)
Rotational speed setting	Control knob (digital indication)
Safety function (main unit)	Manual-setting lower limit, motor overload
Lifting feature	Motorized lifting system
External dimensions (W×D×H mm)	828×400×586mm
Remarks(dimensions)	When glass set A is installed. Lift-up time: 716 mm
Power Source	AC100 to 240V 1.5A
Weight	14.1kg
Remarks(weight)	Excluding glass · water bath / oil bath

Remarks(specifications)

RE301 main body + glass set A + oil bath BO400 type + steam temperature display unit TA300 type.

Optional items



<a href="#">Page Top</a>	<a href="#">Product Summary</a>	<a href="#">Specifications</a>	<a href="#">Optional items</a>	<a href="#">Same series products</a>
--------------------------	---------------------------------	--------------------------------	--------------------------------	--------------------------------------

Same series products



Rotary evaporator, Glass "B",  
VR300 (RE301B-V)



Rotary evaporator, Glass "B",  
Water Bath (RE301B-W)



Rotary evaporator, Glass "B",  
Water Bath, TA300 (RE301B-  
WT)

