





The photo shows RE 301 B - W (main body + glass set B + water bath BM 500 type)

Rotary evaporator, Glass "B", TA300 (RE301B-T)

Contact Us	Printing

Product Summary

Basic with motorized lift and digital setting

Features of Rotary evaporator, Glass "B", TA300 (RE301B-T)

Features

One touch electric lift for easy up and down movement.

Features

The evaporator's motor speed (rpm) is digitally set and displayed.

Features

Unique durable vacuum seal suitable up to 2L flasks.

Features

Stable rotation at low and high speeds.

Features

Equipped with lift up switch in case of power outage.

Features

Removable bath for easy cleaning and water replacement, with the option for water or oil bath.

Features

Compact design fits into any fume hood.

Features

Universal power supply: works with 100-240VAC.

Specifications

Specifications

Item Code	255464	
Model	RE301B-T	
Motor	DC brushless motor	
Rotation speed	20~250 (rpm)	
Lift stroke	130 m m	
Rotational speed setting	Control knob (digital indication)	
Safety function (main unit)	Manual-setting lower limit, motor overload	
Lifting feature	Motorized lifting system	
$\label{eq:sternal} \mbox{External dimensions} \ \ (\mbox{W} \times \mbox{D} \times \mbox{H} \ \mbox{mm})$	643×400×727mm	
Remarks(dimensions)	When glass set B is installed. Lift-up time: 857 mm	
Power Source	AC100 to 240V 1.5A	
Weight	14.1kg	
Remarks(weight)	Excluding glassware and water/ oil bath.	

Remarks(specifications)

RE301 main body + glass set B + steam temperature indicator TA300 type.



<

Distillation flask 100ml, translucent ORG20 (RE301/601/801/RE201) Distillation flask 200ml, translucent ORG22 (RE301/601/801/RE201) Distillation flask 300ml, translucent ORG24 (RE301/601/801/RE201)

Same series products

<





Rotary evaporator, Glass "A", VR300 (RE301A-V)



Rotary evaporator, Glass "A", Water Bath (RE301A-W)



2