

DISTRIBUTOR SITE

EN/中文/JP▼

Search

PRODUCTS

INDUSTRY SOLUTIONS

ABOUT US

NEWS

FAQ



슈 > PRODUCTS > Fully Automatic Strapping Machines > TP-702BS Mercury Transit (stainless steel frame SUS304)

PRODUCTS

- Strapping Tools
- Semi-Auto Strapping Machines
- Automatic Strapping Machines
- Fully Automatic Strapping Machines
- Corrugated Strapping Machines
- Print Media Strapping Machines



DISTRIBUTOR SITE EN/中文/JP▼

Q Search

PRODUCTS

INDUSTRY SOLUTIONS

ABOUT US

NEWS

FAQ

TP-702BS Mercury Transit (stainless steel frame SUS304)



Mercury Transit TP-702BS is a high-speed fully automatic strapping machine with stainless steel frame (SUS 304). It is the fastest and most reliable strapping machine for moist working environment, such as meat, seafood, poultry, and agricultural processing plants.



Features

- Robust & compact mechanical strapping head
- Waist-high auto strap feeding
- Free access to strap guides (patents registered)
- · Electronic tension control
- Auto strap ejector
- · Hinged top plates
- Multiple strap function for single, double, continuous strapping, or transit mode
- Variable conveyor speed between 10 and 60 meters/minute
- Up and down stream interlock with complete plug connection
- Easy bundle flow direction change
- Good to strap small package with minimum size 120 mm in width and 10 mm in height
- Adjustable table height between 800 mm and 900 mm

Options

- Siemens PLC
- · Light tower with low strap sensor
- · Energy saving transit with auto sleep mode
- · Strapping in the center of the bundle
- Extension belt-driven table of 200 mm on upstream and downstream sides
- Lower adjustable table height (750 mm 900 mm)
- Selected parts in stainless steel



DISTRIBUTOR SITE

EN/中文/JP▼

Search

PRODUCTS

INDUSTRY SOLUTIONS

ABOUT US

NEWS

FAQ

Technical Data

Strap Width	5 mm, 6 mm, 9 mm or 12 mm
Tension Range	1-32 kg (for 5 mm, 6 mm, and 9 mm) 1-55 kg (for 12 mm)
Capacity	Up to 40 packages/minute (Cycle speed up to 65 cycles/minute)
Weight	225 kg
Electrical Requirements	110V, 220V, 230V, 240V 50/60Hz 1PH 220V, 380V, 400V, 415V 50/60Hz 3PH

ALL PRODUCTS ARE WELL MADE BY OUR ISO 9001 CERTIFIED FACTORY IN TAIWAN, WITH PRIDE.

ம் 15F-1, NO. 17, SEC. 1, CHENGDE ROAD, TAIPEI 103, TAIWAN 🛛 transpak@tran 🚓 com.tw

