



PQWT-S150 automatic mapping water detector for 100/ 150m deep

Brand Name:	PQWT
Model Number:	PQWT-S150
Minimum Order Quantity:	1 units
Packaging Details:	8kg
Delivery Time:	In stock
Payment Terms:	Bank transfer; credit card; paypal; western union



Supply Ability:	1000 units per month
Place of Origin:	China
Certification:	CE, ISO

[Inquire Now](#)

DESCRIPTION

PQWT-S150 Automatic mapping water detector

it is based on the field source of earth's electromagnetic field and differences in conductivity of different underground geological structures, to study the variation law of electric field components at different frequencies to study the geological structure and changes. Changes in geological structure are displayed in real-time through multiple curves. Automatic mapping geological profile by one key operate easily, get rid of complicated computer graphics. Geological structure and specific information such as aquifers, fractures, faults, and caves can be easily analyzed through automatic mapping curve and profile on site . The device can be widely used in different terrains such as plains, hills, mountains, plateaus, and basins for rapid analysis of geological structure changes and determines the well locations, aquifers, and aquifer depth

SPECIFICATIONS

Technical Parameter



Model	PQWT-S150
Measuring depth	0-100/0-150m
Measuring frequency	Single frequency, three frequency, 36 frequency
Power supply	Battery Model 26650*2pcs # 4000mAh Rechargeable lithium battery
A/D conversion	16-bit 1Msps
Measuring range	mV – 2000mV The instrument automatically switches the range
Measuring accuracy	0.001 mV
Measurement channel	Four channels
Unit of measurement data	The electric field components of different frequencies of the earth electromagnetic field ΔV_s (mV)
Channel gain	0~500,000 times
Languages	English; Spanish; French; Arabic; Russian; Polish
Power consumption	About 4W
Display	Industrial-grade 7-inch high-definition digital touch LCD screen



Working hours	6-8 hours
W/Shipping	G.W: 8KG, DHL/UPS/ Fedex to door service

COMPETITIVE ADVANTAGE

1. Be suitable for plain, hill, mountain land, highland, basin all kinds of geologic structure application;
2. Automatic mapping in the instrument, get drilling position and depth result at site.
3. Professional user group offers 24 hours after sale service.
4. The average accuracy of more than 94% from user's feedback.
5. Six languages including English/Spanish/French/Arabic/Russian/Polish,are optional. We can custom the language.
6. It is widely used for drinking water, agricultural irrigation water detection.
7. Non-professionals can learn the operation way in 5 minutes.
8. only 1-2 people can operate.